
STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

CERTIFICATE OF WATER RIGHT

Surface Water	Issued in accordance with the primendments thereto, and the rule	ovisions of Chapter 117, Laws of es and regulations of the Departm	Washington for 1917, tent of Ecology.)	, and
Ground Water	Issued in accordance with the promendments thereto, and the rule	ovisions of Chapter 263, Laws of s and regulations of the Departm	Washington for 1945, ent of Scology.)	, and
RIORITY DATE APPL	ICATION NUMBER	PERMIT NUMBER	CERTIFICA	TE NUMBER
anuary 18, 1982 S 2-26068		S 2-26068 P	58 P S 2-26068 C	
NAME				
kamania County Fire Distri	ict No. 5	• 1		
DDRESS (STREET) (CITY)		,	(STATE) IZIP C	
33.24 State Highway #14 Skamania		Was Was	Washington 98648	
This is to certify that the herein nather use of the public waters of the contained in the Permit issued by in accordance with the laws of the of record as shown, but is limite	e State of Washington as her The Department of Ecology e State of Washington, and i	ein delined, and under and s r, and that said right to the us is hereby confirmed by the L	pecifically subject is se of said waters ha	to the provisions s been perfected
	PUBLIC WATER TO	BE APPROPRIATED		
SOURCE CHOOK			7	96.
Spring Creek TRIBUTARY OF HE SURFACE WATERS)				
Duncan Creek			- 40	
MAXIMUM CUBIC FEET FER SECOND	MAXIMUM GALLONS PER	MINUTE MAX	INUM ACRE-FEET PER	FAR
0.042		a	s required	The W
QUANTITY, TYPE OF USE, PERIOD OF USE		- annti	Maria III	Jan.
	fire protectio	n conti	nuously	
			1 -	P
			4	
,	A.			4.1
		RSION/WITHDRAWAL		
APPROXIMATE LOCATION OF DIVERS 1100/feet north and 300 fe	ion withdrawat et west of the East	Quarter corner of	Section 34.	4
LOCATED WITHIN ISMALLEST LEGAL SUBD		TOWNSHIP N. RANGE, IE. O		
SEANEA	34	2 6 E.	28	Skamania
- In or		OF IGIVE NAME OF PLAT	DR ADDITION)	
OT BLOC		OF GIVE HAVE OF FEAT	ALAGO TION	~
LEGAL	DESCRIPTION OF PROPE	RTY ON WHICH WATER IS	TO BE USED	
Area served by Skamania Co	unty Fire District	No. 5.		







PROVISIONS

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than 0.125 (1/8) inch. Water approach velocity to the screen shall be less than 1 foot per second and approaching 0.5 foot per second, as measured one foot in front of the screen.

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, except as provided in RCW 90.03.380, 90.03.390, and 90.44.020.

This certificate of water right is specifically subject to relinquishment for nonuse of water as provided in RCW 90.14.180.

Given under my hand and the seal of this office at Olympia

Washington, this 19th day

ANDREA BEATTY RINIKER, Director

Department of Ecology

Clark Haberman, Regional Manager

FOR COUNTY USE ONLY