

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

## CERTIFICATE OF WATER RIGHT

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
November 26, 1985	G 2-26828	G 2-26828 P	G 2-26828 C

## NAME

FORREST N. BOWLING AND EMERSON E. JONES

## ADDRESS (STREET)

0.01 R Tree-ific Drive North

## (CITY)

Washougal

## (STATE)

Washington

## (ZIP CODE)

98671

This is to certify that the herein named applicant has made proof to the satisfaction of the Department of Ecology of a right to the use of the public waters of the State of Washington as herein defined, and under and specifically subject to the provisions contained in the Permit issued by the Department of Ecology, and that said right to the use of said waters has been perfected in accordance with the laws of the State of Washington, and is hereby confirmed by the Department of Ecology and entered of record as shown, but is limited to an amount actually beneficially used.

## PUBLIC WATER TO BE APPROPRIATED

## SOURCE

well

## TRIBUTARY OF (IF SURFACE WATERS)

## MAXIMUM CUBIC FEET PER SECOND

## MAXIMUM GALLONS PER MINUTE

19

## MAXIMUM ACRE-FEET PER YEAR

3

## QUANTITY, TYPE OF USE, PERIOD OF USE

3 acre-feet per year

group domestic supply

continuously

(3 residences)

## LOCATION OF DIVERSION/WITHDRAWAL

## APPROXIMATE LOCATION OF DIVERSION-WITHDRAWAL

800 feet North and 1150 East of the West Quarter Corner of Section 34.

## LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 

## SECTION

34

## TOWNSHIP N.

2

## RANGE, (E. OR W.) W.M.

5 E.

## W.R.T.A.

28

## COUNTY

Skamania

## RECORDED PLATTED PROPERTY

## LOT

## BLOCK

## OF (GIVE NAME OF PLAT OR ADDITION)

## LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

## Jones Property:

Parcel No. 1 - Beginning at a point designated as "A" and marked by a steel stake, which is 630 feet South and 32 feet West from that square steel stake marking the center of the NW $\frac{1}{4}$  of Section 34, T. 2 N., R. 5 E.W.M.; thence on a bearing about 178° magnetic or 198° true for about 205 feet to the center of a marked and prominent alder tree in the river bed designated "B" and continuing on the same bearing to the center of the channel of the Washougal River; thence in a Southeasterly to a Northeasterly direction upstream following the channel of the said river to an intersection with a bearing about 80° magnetic or 100° true from the point designated "A"; thence to point "A", the line being marked by an iron pipe at the top of the river bank being 138 feet from point "A". The entire area being approximately one acre, more or less. SUBJECT to easements of record.

Parcel No. 2 - Beginning at a point marked by an iron stake which is 550 feet, more or less, South from the square steel stake marking the center of the NW $\frac{1}{4}$  of Section 34, T. 2 N., R. 5 E.W.M.; thence West about 50 feet to the center of the road; thence South Southeasterly along the center of the road and south to the Northwest corner of the property owned by Emerson E. Jones, recorded in Book 37, Page 404, and also marked by a steel stake, which corner is 650 feet South and 32 feet West from the above described square steel stake; thence 200 feet on the bearing approximately 100° (S. 80° East) to the bank of the Washougal River; thence Northeasterly upstream 130 feet, more or less, following the said bank of the river to intersect the East West line bounded by land conveyed to Mr. Donald M. Goode and Jennie K. Goode, husband and wife, about 550 feet South of the square steel stake described above; thence approximately 200 feet in a Westerly direction to the point of beginning. The entire area being approximately  $\frac{3}{4}$  of an acre. SUBJECT to easements of record.

## PROVISIONS

The access port shall be maintained at all times on the well (s).

FILED FOR RECORD  
SKANAWA CO. WASH  
BY STATE OF WA.  
D.O.E.  
Jul 30 11 32 AM '86  
A. N. Sub, Dep.  
AUDITOR  
GARY M. OLSON

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, except as provided in RCW 90.03.380, 90.03.390, and 90.44.020.

This certificate of water right is specifically subject to relinquishment for nonuse of water as provided in RCW 90.14.180.

Given under my hand and the seal of this office at Olympia, Washington, this 28th day of July, 1986.

ANDREA BEATTY RINIKER, Director  
Department of Ecology

ENGINEERING DATA

OK

Seam

by

Clark Haberman, Regional Manager

FOR COUNTY USE ONLY

Parcel No. 3 - The SW $\frac{1}{4}$ NW $\frac{1}{4}$  and that portion of the SE $\frac{1}{4}$ NW $\frac{1}{4}$  lying Northwesternly of the center of the channel of the Washougal River, in Section 34, T. 2 N., R. 5 E.W.M.; EXCEPT those portions thereof heretofore conveyed by the Grantors;

Bowling Property

Beginning at a point marked by a 1/2 inch iron pipe located 400 feet South of the Northwest Corner of the SE $\frac{1}{4}$ NW $\frac{1}{4}$  of Section 34, T. 2 N., R. 5 E.W.M.; thence East 250 feet, more or less, to the center of the channel of the Washougal River, the line passing through a 1/2 inch iron pipe at the top and edge of the steep bank of the river; thence South-Southwesterly along the center of the channel of the Washougal River to a point on an East-West line located 150 feet South of the point of beginning; thence West 170 feet, more or less, through a 1 inch steel rod at the top of the bank overlooking the river to a 3/4 inch iron pipe located 550 feet South of the NW corner of the SE $\frac{1}{4}$ NW $\frac{1}{4}$  of said Section 34; thence North, along the center line of the NW $\frac{1}{4}$  of said Section 34, 100 feet to a 1 inch steel rod; thence North 80° West 65.5 feet, more or less, to a 1 inch steel rod located at the edge of the road; thence North-Northeasterly along the edge of the road 49 feet, more or less, to a 3/4 inch iron pipe located West of the point of beginning; thence East 40 feet, more or less, to the 1/2 inch iron pipe marking the point of beginning.