BOOK 156 PAGE 665

Skamania County Planning and Community Development File: NSA 96-05 (Beebe) Director's Decision Page 2

- All structures shall be surrounded by a maintained fuel break of 50 feet. Infigured or fire resistant vegetation may be planted within the fuel break, including green tawns and low shrubs (less than 24 inches in height). Trees should be placed greater than 15 feet between the crown and pruned to remove dead and low (less than 8 feet) branches. Accumulated leaves, needles and other dead vegetation shall be removed from beneath trees.
- b) Hezardous fuels shall be removed within the fuel break area.
- c) f) Not applicable.
- g) Telephone and power supply shall be underground.
- h) Roofs of structures should be made of fire-resistant materials, such as metal, fiberglass shingle or tile. Roof materials such as cedar shake and shingle should not be used.
- i) j) Not applicable.
- k) Attic openings, soffit vents, foundation louvers or other ventilation openings on dwellings and accessory structures should be screened with no coarser than 1/4 inch mesh metal screen that is noncombustible and corrosion resistant.
- The following procedures shall be effected when cultural resources are discovered during construction activities.
  - Halt Construction. All construction activities within 100 feet of the discovered cultural resource shall cease. The cultural resources shall remain as found; further disturbance is prohibited.
  - Notification. The project applicant shall notify the Flanning Department and the Gorge Commission within 24 hours of the discovery. If the cultural resources are prehistoric or otherwise associated with Native Americans, the project applicant shall also notify the Indian tribal governments within 24 hours.
  - c) Survey and Evaluations. The Gorge Commission shall arrange for the cultural resources survey.

Dated and Signed this  $\frac{16}{8}$  day of April, 1996, at Stevenson, Washington.

Harpreet Sandhu, Director

Skamenia County Planning and Community Development