BOOK 219 PAGE 326

SKAN AND CONTROL BALLEY
BY Bulling of House Bailey
JAN 16 23 PH '02

AFTER RECORDING, RETURN TO:

BULLIVANT
HOUSER
PAILEY
A PROPESSIONAL CORPORATION
ATTORNEYS AT LAW

Steven C. At derson Attorney at Law 300 First Independent Place 1220 Main Street Vancouver, WA 98660-2962 360-693-2424

J. Michael Garvison

CLAIM OF LIEN

Reference Number(s): Grantor(s): Grantee(s): Additional Names at Page(s): Legal Description:	Skamania OPCO, LLC William Stanley & Sons Paying
	Ptn. Sec. 2, T2N, R7E
Tax Parcel Number:	02-07-02-0-0-0612-00; 02-07-02-0-0-0611-00; 92-010340
William Stanley & Sona Par	The same of the sa
claimant,	Supering to
vs. Thompson Bros. Excavating name of person indebted to claiman	i. Inc.

Notice is hereby given that the person named below claims a lieu pursuant to *chapter 64.04 RCW. In support of this lien the following information is submitted:

1. NAME OF LIEN CLAIMANT: William Stanley & Sons Paving
TELEPHONE NUMBER: (503) 243-1274
ADDRESS: PO Box 2010, Gresham, OR 97030

Page 1 - CLAIM OF LIEN

2.	DATE ON WHICH THE CLAIMANT BEGAN TO PERFORM LABOR,
	PROVIDE PROFESSIONAL SERVICES, SUPPLY MATERIAL OR
	EQUIPMENT OR THE DATE ON WHICH EMPLOYEE BENEFIT
	CONTRIBUTIONS BECAME DUE:
	October 26, 2001
3,	NAME OF PERSON INDEBTED TO THE CLAIMANT:
	Thompson Bros. Excavating, Inc.
4.	DESCRIFTION OF THE PROPERTY AGAINST WHICH A LIEN IS CLAIMED
	(street address, legal description or other information that will reasonably describe the
	property);
	Commonly known as Skamania Lodge, legally described on attached
	Exhibit "A"
5.	N. ME OF THE OWNER OF BEST WITH OUR THE
	No.MF OF THE OWNER OR REPUTED OWNER (If not known state "unknown"):
	Skamania OPCO, LLC
6.	
٩	THE LAST DATE ON WHICH LABOR WAS PERFORMED; PROFESSIONAL
	SERVICES WERE FURNISHED; CONTRIBUTIONS TO AN EMPLOYEE
	BENEFIT PLAN WERE DUE; OR MATERIAL, OR EQUIPMENT WAS FURNISHED:
	October 26, 2001
7	DD A COD A T. A D. A D. A D. A D. A D. A D. A D
7.	PRINCIPAL AMOUNT FOR WHICH THE LIEN IS CLAIMED IS:
•	\$
age	2 – CLAIM OF LIEN

8. IF THE CLAIMAN	IT IS THE ASSIGNEE OF THIS CLAIM, SO STATE HERE:
<u>N/A</u>	
Name of the last o	
	William Stanley & Sons Paving, Claimant
	PO Box 2010, Gresham, OR 97030
	(503) 243-1274
	(Phone number, address, city, and state of claimant)
STATE OF OREGON	
)) ss.
County of Multnomah	
William Stanley	being sworn, says: I am the claimant (or attorney of
the claimant, or administrate	Or, representative or agent of the trustees of an amplayer
contents thereof, and believe	I have read or heard the foregoing claim d and know the the same to be true and correct and that the claim of lien is
not involous and is made wi	ith reasonable cause, and is not clearly excessive under penalty
of perjury.	
	4/2/24
	WILLIAM STANLEY
Subscribed and swor	n to before me this 4th day of January 2000
	day of <u>Log (wing</u> <u>acces</u>
	C 2010 5111 20
	NOTARY PUBLIC in and for the State of Oregon.
	My Commission Expires:
	CYNTHIA L. HAUGE

Page 3 – CLAIM OF LIEN

BOOK ZOL PAGE 839

EXHIBIT A

Parcel 1:

The real property legally described as "Parcel 1" attached hereto and made a part hereof; and

Parcel 2:

A permanent, irrevo able easement, running with the land for the benefit of Parcel 1 described above, to use the surface and portion of the subsurface to a depth of five (5) feet of the real property 3-scribed as "Parcel 2" attached hereto and made a part hereof, as is required solely for the continued and future operation of a golf course, and uses incidental to the operation of the Skamania Lodge.

800K 206 PAGE 840

Parcel 1

Being a tract of land out of portions of Government Lots 2 and 3, in the D. Baughman domation land blaim and F. Iman domation land claim, in Section 2, Township 2 North, Range 7 East of the Willamette Meridian, in the County of Skamania, State of Washington and being more particularly described as follows:

Beginning at a 1/2 inch iron rod on the West line of the Baughman D.L.C., said and being South 00°50'59" West 1,935.30 feet from a brass cap marking the Firthwest corner of the Baughman D.L.C.; thence leaving said West line North 57°21'40" West 1,839.91 feet to a 1/2 inch iron pipe; thence South 59°00'19" West 396.02 feet to a 5/8 inch iron rod; thence North 78°38'44" West 97.60 feet to a 5/8 inch iron rod; thence North 35°28'44" West 122.60 feet to a 5/8 inch iron rod; thence North 55°26'40" West 919.35 feet to a 5/8 inch iron rod on the Southeasterly line of 396.02 feet to a 5/8 inch iron rod; thence North 35°28'44' West 122.60 feet to a 5/8 inch iron rod; thence North 35°28'44' West 122.60 feet to a 5/8 inch iron rod; thence North 65°46'40' West 919.35 feet to a 5/8 inch iron rod on the Southeasterly line of the BPA right of way; thence along said right of way south 40°21'00° East 2.004.39 feet to a 5/8 inch iron rod; thence leaving said right of way South 21°52'06' East 221.63 feet to a 3/4 inch iron pipe; thence South 89°33'16° East 120.476 feet to a 3/4 inch iron rod; thence North 48°07'04' East 121.54 feet to a 5/8 inch iron rod; thence .orth 01°32'31' East 0.58 feet to a point; thence South 22°51'55° East 133.67 feet to a 5/8 inch iron rod; thence South 36°22'53' East 377.84 feet to a 5/8 inch iron rod; thence South 36°22'53' East 377.84 feet to a 5/8 inch iron rod; thence South 36°26'35° East 236.37 feet to a 5/8 inch iron rod; thence South 71°56'35° East 207.62 feet to a 5/8 inch iron rod; thence North 13°10'46' East 194.93 feet to a 5/8 inch iron rod; thence South 72°56'35° East 72.19 feet to a 5/8 inch iron rod; thence South 72°56'35° East 72.19 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 89°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 80°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 80°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 90°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 90°09'01' East 74.00 feet to a 5/8 inch iron rod; thence South 90° Way South 1653/50 West 1/3.4/ teet to a S/R inch iron rod on said right of way of Foster Creek Road; thence along said right of way 73.68 feet along the arc of a 402.00 foot radius curve to the left, having a central angle of 10°00'04°, the chord of which bears South 30'38'02° East, a distance of 73.57 feet to a 5/8 inch iron rod; thence South 79'54'00° West 261.00 feet; thence North 52°53'13° West 100.00 feet; thence South 60°32'24° West 90.00 feet; thence South 19°17'10° East 195.00 feet; thence South 21°51'54° East 137.00 feet; thence South 19°17'10° East 195.00 feet; thence South 30'40'11° East 272.30 feet to a point on the Westerly right of way line of Rock Creek Drive (variable width right of way); thence along said right of way South 08°32'58° West 95.52 feet to a point that bears South 19°15'33° West 0.56 feet from a concrete right of way monument; thence 413.67 feet along the arc of a 1,587.10 for bradius curve to the right, having a central angle of 14°55'02°, the chord of Which bears South 16°00'59° West, a distance of 5/8 inch iron rod; thence 191.45 feet along the arc of a 1,567.10 foot radius curve to the right, having a central angle of 06°59'59°, a chord of which bears South 26°58'59° West, a distance of 500th 26°58'59° West, a distance of 191.33 feet to a 5/8 inch iron rod; thence South 59°31' 02° East 20.00 feet to a 5/8 inch iron rod; thence South 59°31' 02° East 20.00 feet to a 5/8 inch iron rod; thence 62.63 feet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 10°59' Mest, a distance of 191.33 feet to a 5/8 inch iron rod; thence South 59°31' 02° East 20.00 feet to a 5/8 inch iron rod; thence 62.63 feet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 10°59' Mest, a distance of 191.33 feet to a 5/8 inch iron rod; thence 62.63 feet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 10°59' Mest a distance of 191.33 feet to a 5/8 inch iron rod; thence 62.63 feet along the arc of a 1,587 South 59-31' 02" East 20,00 reet to a 3/8 inch from rod; thence 02.03 reet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 02°15'40", the chord of which bears South 31°.6'48" West, a distance of 62.63 feet to a 5/8 inch iron rod; thence North 56°03'57" West 8.39 feet to a point that bears North 50°38'42" West 0.70 feet from a concrete right of way monument;

CONTINUED

60

BOOK 206 PAGE 841

Page No. 2 Exhibit "A"

thence South 33°56'03° West 208.73 feet to a joint that bears South 65°29'49' East 0.58 feet from a concrete right of way monument; thance North 56°03'57° West 60.00 feet to a point that bears North 35°49'26° West 0.57 feet from a concrete right of way monument; thence South 38°26'03° West 133.77 feet to a point that thence South 78°22'11° West 1.00 feet from a concrete right of way monument; thance South 78°22'11° West 5.47 Feet to a 5/8 inch iron rod, said rod also right of way of Malicot Road (60.00 foot right of way); thence along said Malicot Road (60.00 foot right of way); thence along said Malicot Road (60.00 foot right of way); thence along said Malicot central anje of 45°00'00° the chord of which bears South 78°57'19° West, 196.47 iron rod; thence North 78°32'41° West 13.00 feet to a 5/8 inch iron rod; thence North 78°32'41° West 13.00 feet to a 5/8 inch iron rod; thence North 78°32'41° West 13.00 feet to a 5/8 inch iron rod; thence North 78°32'41° West 13.00 feet to a 5/8 inch iron rod; thence North 78°32'41° West 13.00 feet to a 5/8 inch iron rod; thence 186.92 feet along the arc of a 125.70 foot radius curve to the 186.92 feet along the arc of a 125.70 foot radius curve to the 186.92 feet along the chord of which bears South 78°51'19° West, a distance of 170.17 feet to a 5/8 inch iron rod arking the point of compound curvature; thence 172.50 feet along the arc of a 173.40 foot radius curve to the 18ft, having a central angle of 5°00'00', the chord of which bears South 12°14'41° East, a distance of '5.48 to 5/8 inch iron rod feet along the arc of a 18°570 foot radius curve to the right, having a marking the point of reverse curvature; thence 24.56 feet along the arc of 75.12 feet to 3/8 inch iron rod feet along the arc of a 18°570 foot radius curve to the right, having a central angle of 5°0100', the chord of which bears South 50°52'41° Fast, a distance of '5.12 feet to 3/8 inch iron rod marking a peint of reverse curvature; thence 24.56 feet along the arc of a 50°060 foot radius curve to the right,

TOGETHER WITH the ollowing described property:

A tract of land located in the D. Baughman donation land claim situated in Section 2, Township 2 North, Range 7 East of the villamette Meridian, Skamenia County, Washington, and being more particularly described as follows:

Commencing at a brass cap marking the Northwest corner of said D. Baughman D.L.C.; thence South 00°50′59° West, 3369.29 feet along the West line of said Baughman donation land claim to the point of beginning and said point being on the Northerly right of way line of State Highway No. 8; thence along said Northarly right of way the following course and distances:

Horth 49°20'38° East, 225.03 to the heginning of a 2785.00 foot radius curve to the left having a central angle of 05°8'09°; thence along said curve to the left there south 460'07'31° East, 30.00 feet to the beginning of a 2815.00 foot radius to the left thaving a central angle of 05°23'51°; thence along said curve to the left thaving a central angle of 05°23'51°; thence along said curve 265.19 feet; thence North 38°28'38° East 337.63 feet; thence leaving said of vacated Malicot road; thence along said Northerly R.O.W. North 56°03'57° West 46.84 feet to the Northerly right of way courses and distances:

CONTINUED

BOOK 206 PAGE 842

Page No. 3 Exhibit "A"

Along said Nalicot right of way So' h 56°27'19° West 46.44 feet to a 5/8 inch iron rod and the beginning of a 255.70 foot radius curve to the right having a central angle of 45°00'00°, thence along said curve to the right (the long chord of which bears South 78°°2'19° West, 196.47 feet) 201.61 feet to a 5/8 inch iron rod, thence North 78°°2'41° West 13.00 feet to a 5/8 inch iron rod at the beginning of a 125.70 foot radius curve to the left, having a central angle of 85°12'00°, thence along said curve to the left, having a central angle of 85°12'00°, thence along said curve to the left, having a central angle of 85°12'00°, thence along said curve to the left having a central angle of 50°00'00°; thence along said curve to the left having a central angle of 57°00'00°; thence along said curve to the left having a central angle of 50°40'40°; thence along said curve to the right (the long chord of which bears South 12°14'41° East, 165.48 feet) 172.50 feet to 3'8 inch iron rod marking the point of a reverse curvature of a 65.70 feet radius curve to the right (the long chord of which bears South 50°52'41° East, 75.12 feet) 79.96 feet to a 5/8 inch iron rod; thence South 28°59'19° West 98.50 feet to a 5/8 inch iron rod at the beginning of a 65.70 feet to 85'8 inch iron rod; thence along said curve to the right, having a central easile of 50°40'80' feet 65.70 feet to a 5/8 inch iron rod at the bears South 50°63' 19° West, 63.00 feet 65.70 feet to a 5/8 inch iron rod at the bears South 50°60' 19° East 128.86 feet) 127.19 feet to a 5/8 inch iron rod at the bears South 50°60' 19° East 128.86 feet) 127.19 feet to a 5/8 inch iron rod at the bears South 50°60' 37° East 128.86 feet) 127.19 feet to a 5/8 inch iron rod at the bears South 50°60' 37° East 128.86 feet) 127.19 feet to a point thence on the Southerly right of way of said Malicot road said point being the beginning of a 447.60 foot radius curve to the left having a central angle of 14°22' 17°, 64°44' 37° West, 112.02 feet) 112.31 feet to a point at the beginning of a

EXCEPTING THEREFROM a tract of land located in the D. Baughman doration land deridian, Standard County, Washington, and being more particularly described as

Beginning at a 1/2 inch iron rod on the West line of the Balghman D.L.C., said rod being South 00050'59' West 1,935.30 feet from a br.ss cap marking the Northwest corner of the Baughman D.L.C.; thence North 70°07'20' East 232.20 feet; non-tangent curve to the left of feet to the beginning of a 238.00 foot radius non-tangent curve to the left 45.91 feet through a central engle of 11°03'04' thence along 215.65 foot radius curve to the right 144.82 feet through a central angle of 38°28'36' (chord bears North 70°34'58' East 142.12 feet) to a radius curve to the left; thence along a 215.65 foot radius curve to the right 144.82 feet through a point; thence South 86°10'44' East 90.69 feet to the beginning of a 238.00 foot radius curve to the left; thence along said curve or the left i31.26 feet through a central angle of 34°29'13' (chord bears North 76°34'39' East 141.00 fiet); thence North 18°00'59' West 198.30 feet; thence North 40°31'12' West 296.43 feet; thence North 26°12'57' West 198.50 feet; thence South 73°39'53' West 126.26 feet; thence South 72°26'26' West 37.03 feet; thence South 73°33'34' East 20.86 feet; thence South 72°26'26' West 37.03 feet; thence South 70°31'02' East 20.86 feet; thence South 72°28'58' West 37.03 feet; thence South 17°31'02' East 168.85 feet; thence North 72°28'58' East 10.64 feet; thence South 17°31'02' East 168.85 feet; thence North 72°28'58' East 10.64 feet; thence South 17°31'02' East 168.85 feet; thence North 72°28'58' East 27.30 feet; thence South 17°31'02' East 168.85 feet; thence North 72°28'58' East 27.30 feet; thence South 17°31'02' East 168.85 feet; thence North 72°28'58' East 27.36 feet; thence South 17°31'02' East 46.24 feet; thence South 31°57'00' East 0.83 feet to the Point of Beginning.

BOOK 29 PAGE 333

BOOK 206 PAGI 843

Parcel 2

Being a tract of land in the D. Saughman donation land claim, in Section 2, Township 2 North, Range 7 East of the Willamette Meridian in the county of Skamania and State of Washington and being more particularly described as follows:

Commencing at a 5/8 inch iron rod at the southeast corner of that tract of land described in deed Book 108, Page 887, Skamania County deed records, said iron rod also being on the Southerly right of way line of Foster Creek Road; thence along said right of way 73.68 feet along the arc of a 402.00 foot radius curve to the left, having a central angle of 10° 30° 04°, the chord of which bears South 31°18° 02° East, a distance of 73.57 feet to a 5/8 inch iron rod and the Point of Beginning; thence South 79°54′00° West 261.00 feet; thence North 52°52′13° West 100.00 feet; thence South 60°32′24° West 90.00 feet; thence South 19°17′10° East 195.00 feet; thence South 52°40′11° East 195.00 feet; thence South 52°40′11° East 172.30 feet to a point on the westerly right of way line of Rock Creek Road; thence along said right of way worth 08°32′58° East 274.00 feet to a 5/8 inch rod at the intersection of said westerly right of way and the southerly right of way of Foster Creek Road; thence along said Southerly right of way 134.33 feet along the arc of a 402.00 foot radius curve to the right, having a central angle of 19°08′46°, the chord of which bears North 46°07°27° West, a distance of 133.71 feet to a 5/8 inch iron rod; thence North 36°33′04° West 17.29 feet to the Point of Beginning.

704047-0005/794497.1

Page 7