

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

## Permit to Appropriate Public Surface Waters of the State of Washington

Book No. 41 of Permits, on Page 16683 Under Application No. 22494

WILLIAM E. KRENTLEHR

of Carson, Washington

is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public surface waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

Priority date of this permit is August 24, 1970

Source of the proposed appropriation is Cedar Creek

tributary of Panther Creek

The quantity of water appropriated shall be limited to the amount which can be beneficially applied and not to exceed 0.01 cubic feet per second, 1/2 acre-feet per year, or its equivalent in case of rotation, to be used for the following purposes: domestic supply

as more definitely set out below.

The approximate point(s) of diversion is/are 700 feet north and 1190 feet east of the south quarter corner of Sec. 25.

being within SW1/4SE1/4

of Sec. 25, Twp. 4 N., Rge. 7 1/2 E. W.M., Skamania County.

The use, or uses, to which water is to be applied:

Domestic/municipal supply 0.01 cubic feet per second, 1/2 acre-feet per year, during entire year.

Irrigation: cubic feet per second, acre-feet per year from

to acre-feet per year, for irrigation of acres.

Other use(s) cubic feet per second,

acre-feet per year, from to per year.

## LEGAL DESCRIPTION OF LANDS UPON WHICH THIS WATER IS TO BE USED:

The east 165 feet of the west 990 feet of SW1/4SE1/4 Sec. 25, T. 4 N., R. 7 1/2 E. W.M., LESS roads.



For Power: \_\_\_\_\_ cubic feet per second continuously each year. Total power to be developed \_\_\_\_\_ theoretical horse power. Total fall to be utilized \_\_\_\_\_ feet.

Works to be located in \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ N. Rge. \_\_\_\_\_

Water to be returned to \_\_\_\_\_

Point of return \_\_\_\_\_ Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, N., Rge. \_\_\_\_\_, W.M. \_\_\_\_\_

Use to which power is to be applied

ADDITIONAL LIMITATIONS AND PROVISIONS: Permittee shall construct and maintain at his own expense a weir, or other suitable device, for measurement of water related to this appropriation, as required by the Department of Ecology.

Diversion intake shall be tightly screened at all times with wire mesh having opening with dimensions not greater than .125 (1/8) inch.

Nothing in this permit shall be construed as excusing the permittee from compliance with any applicable federal, state, or local statutes, ordinance, or regulations including those administered by local agencies under the Shoreline Management Act of 1971.

STATE OF WASHINGTON,  
COUNTY OF SKAMANIA.

COUNTY OF SKAMANIA

I HEREBY CERTIFY THAT THE WITHIN-

RESIDENT OF SEATTLE, FILED BY

of the Board

OF 62103-16, dated 07

AT 1:50 AM April 11 1961

WAS RECORDED IN BOOK 7

OF 116261 AT PAGE 34

SECURITY IN WISCONSIN COUNTY, WISCONSIN

2022

2

705043



DESCRIPTION OF PROPOSED WORKS..... Pumping plant and pipeline to place of use

### DEVELOPMENT SCHEDULE

Construction work shall begin on or before \_\_\_\_\_ Started \_\_\_\_\_

and shall thereafter be prosecuted with reasonable diligence and completed on or before \_\_\_\_\_.

Completed

and complete application of water to proposed uses shall be made on or before

November 1, 1972

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 27th day

of October 1971

JOHN A. BIGGS, Director  
Department of Ecology

# ENGINEERING DATA

OK 拆