

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Permit to Appropriate Public Surface Waters of the State of Washington

Book No. 41 of Permits, on Page 16766 Under Application No. 23099

WILLIAM E. & RAMONA A. BENNETT

of Portland, Oregon

is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public surface waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

Priority date of this permit is May 18, 1971

Source of the proposed appropriation is two (2) unnamed springs & an unnamed stream tributary of Washougal River

The quantity of water appropriated shall be limited to the amount which can be beneficially applied and not to exceed 0.02 cubic feet per second, 2 acre-feet per year, or its equivalent in case of rotation to be used for the following purposes: domestic supply and stockwater as more definitely set out below.

The approximate points of diversion are 1500 feet east and 600 feet south; 1900 feet east and 1300 feet south; 1900 feet south and 200 feet east, all from the northwest corner of Sec. 31

being within NE $\frac{1}{4}$ NW $\frac{1}{4}$ and N $\frac{1}{2}$ (Fractional) SW $\frac{1}{4}$ NW $\frac{1}{4}$

of Sec. 31, Twp. 2 N., R. 5 E., W. 14., Skamania County.

The use, or uses, to which water is to be applied:

Domestic ~~supply~~ supply 0.01 cubic feet per second, 1 acre-feet per year during the year.

Irrigation: cubic feet per second, acre-feet per year from acres.

Other uses: stockwater : 0.01 cubic feet per second.

1 acre-feet per year, from continuously 44 each year.

Legal Description of Land Upon Which This Water Is to Be Used:

That part of the NE $\frac{1}{4}$ NW $\frac{1}{4}$ lying southwesterly of County Road No. 1107 (Huckins-Buhaman Road); N $\frac{1}{2}$ of the fractional SW $\frac{1}{4}$ NW $\frac{1}{4}$; AND the west 330 feet of N $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$, all in Sec. 31, T. 2 N., R. 5 E., W. 14., LRSB roads.

For Power: cubic feet per second continuously each year. Total power to be developed..... theoretical horse power. Total fall to be utilized..... feet.

Works to be located in..... Sec....., Twp..... N., Rge..... W.M.

Water to be returned to.....

Point of return..... Sec....., Twp..... N., Rge..... W.M.

Use to which power is to be applied.....

ADDITIONAL LIMITATIONS AND PROVISIONS: Permittee shall construct and maintain at his own expense a weir, or other suitable device, for measurement of water related to this appropriation, as required by the Department of Ecology.

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch.

Nothing in this permit shall be construed as excusing the permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by local agencies under the Shoreline Management Act of 1971.

DESCRIPTION OF PROPOSED WORKS pumping plants and pipelines to places of use

DEVELOPMENT SCHEDULE:

Construction work shall begin on or before December 1, 1972

and shall thereafter be prosecuted with reasonable diligence and completed on or before

December 1, 1973

and complete application of water to proposed uses shall be made on or before

December 1, 1974

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 3rd day

of December 1971.

JOHN A. BIGGS, Director
Department of Ecology

by *K. J. Kelly*

