				and the second s					PAGE 24
•			r .a.			Date	sample is s		
	HAT	. 3 N V ₁	EVAL	-] TH 14'	UE	24	AUG:	1970	·
	VA	משים ב ע	ERIV	VASH,	9866 I		of claim s		
					space abov		~		
					· · · · · · · · · · · · · · · · · · ·		-		-
	Name of pr	operty owne	ers <u> </u>	CHOT	NA	TIONAL		OREST	•
	Are you hir	ing labor?	No		Are you m	illing or shi	pping ore?	2 10	
	Location of with referen						% . 1	ive location	
	County 5	KAMI	ANIA		Mining dis	trict Pr	N CHO	TNATCO	NAL FORE
	Township	T4N	Range A	SE	Section /	5 SE 4	Quarter se	or E.	ISNE # IR ROAD
	How far fro	m passable :	road and no	me of road	N-4	20	LEWI	FORK- S RIVE	R ROAD
		Channe	el (length)				Source of s	sample	N WATER
:		- / b	447-		PRER	ں۔		BELOG	w ware
	Sample No	. 1 <u>Gir</u>	7212		PPER	AG C			_
	Sample No.				KILSER	AG		#	
· · · · · · · · · · · · · · · · · · ·	Sample No. Samples for taken in an	assay shoul	d be at leas	t 1 lb. in w	eight. <u>IMP</u> wall to wal	ORTANT:	vein sam	ple should be	
	Sample No.	assay shoul	d be at leas	t 1 lb. in w e vein from should be re	eight. <u>IMP</u> wall to wal	ORTANT: A	vein sam of sample	ole should be in the workin	gs,
San	Sample No. Samples for taken in an together will	assay shoul even chann th the width	d be at leas el across the measured,	tilb.in we vein from should be re	reight. IMP wall to wall ecorded.	ORTANT: I. Location	vein sam of sample	ole should be in the workin	gs,
	Sample No. Samples for taken in an together will	assay should even channish the width	d be at leas el across the measured, V THIS LIN	t 1 lb. in we vein from should be re (Sign E -FOR OFI	reight. IMP wall to wall ecorded. med) FICE USE O	ORTANT: A I. Location MLY -USE BR	vein sample of sample OTHER SID	ple should be in the working with the wo	95,
	Sample No. Samples for taken in an together will	assay should even channish the width	d be at leas el across the measured, V THIS LIN	t 1 lb. in we vein from should be re (Sign E -FOR OFI	reight. IMP wall to wall ecorded. med) FICE USE O	ORTANT: A I. Location MLY -USE BR	vein sample of sample OTHER SID	ple should be in the working with the wo	95,
	Sample No. Samples for taken in an together will DO NOT W. Description	assay should even channish the width	d be at leas el across the measured, V THIS LIN	t 1 lb. in we vein from should be re (Sign E -FOR OFI	reight. IMP wall to wall ecorded. med) FICE USE O	ORTANT: A I. Location MLY -USE BR	vein sample of sample OTHER SID	ple should be in the working with the wo	gs,
	Sample No. Samples for taken in an together will DO NOT W. Description	assay should even channeth the width	d be at leas el across the measured, V THIS LIN ERTED RACH SILVER	t 1 lb. in we vein from should be re (Sign E -FOR OFI	reight. IMP wall to wal ecorded. FICE USE O ESITE	ORTANT: A I. Location MLY -USE BR	vein sample of sample OTHER SID	ple should be in the working with the wo	95,
ASSAY	Sample No. Samples for taken in an together with DO NOT W. Description	assay should even channish the width	d be at leas el across the measured, V THIS LIN ERTED RACH SILVER oz./T.	tilb. in we vein from should be responded to the contract of t	reight. IMP wall to wal ecorded. ned) // FICE USE O ESITE	ORTANT: I. Location MLY -USE BR. Comin	vein sample of sample of sample of the color	ple should be in the working with the wo	95,
955AY MADE	Sample No. Samples for taken in an together will DO NOT W Description Sample	assay should even channeth the width	d be at leas el across the measured, V THIS LIN ERTED RACH SILVER	tilb. in we vein from should be responded to the contract of t	reight. IMP wall to wal ecorded. FICE USE O ESITE	ORTANT: I. Location MLY -USE BR. Comin	vein sample of sample OTHER SID	ple should be in the working with the wo	95,
ASSAY MADE BY	Sample No. Samples for taken in an together will DO NOT W Description Sample	assay should even channish the width	d be at leas el across the measured, V THIS LIN ERTED RACH SILVER oz./T.	tilb. in we vein from should be responded to the contract of t	reight. IMP wall to wal ecorded. ned) // FICE USE O ESITE	ORTANT: I. Location MLY -USE BR. Comin	vein sample of sample of sample of the color	ple should be in the working with the wo	95,