



PLAT OF RELOCATED NORTH BONNEVILLE-BLOCKS 1 & 2



PLAT OF A SUBDIVISION IN THE E.C. HARDY D.L.C. 41
AND THE S.M. HAMILTON D.L.C. 40 IN SECTIONS 29 AND 30
TOWNSHIP 2 NORTH, RANGE 7 EAST, WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

TABLE OF CURVE DATA

LOT NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN. GENT	LONG CHORD	LONG BEARING
BLOCK 1						
1	04°57'34"	1055.0	51.32	45.69	91.29	N 56°00'55"W
2	04°36'00"	1055.0	84.70	42.37	84.68	N 51°13'48"W
3	03°16'02"	208.2	11.87	5.94	11.87	N 50°33'51"W
4	17°01'28"	208.2	73.66	37.82	73.27	N 62°19'54"W
5	15°33'09"	208.2	61.86	31.16	61.64	N 60°58'46"W
6	00°49'32"	399.4	5.75	2.88	5.75	N 74°32'35"W
7	11°48'43"	399.4	82.34	41.32	82.20	S 68°13'26"W
8	44°12'13"	100.0	69.28	36.10	67.90	S 68°10'26"W
9	39°56'57"	100.0	67.75	40.61	75.25	S 69°52'37"W
10	34°41'52"	100.0	60.56	31.26	59.64	S 69°31'23"W
11	27°50'02"	100.0	48.56	24.78	48.10	S 40°47'20"E
12	25°01'50"	100.0	43.69	22.20	43.34	S 78°42'58"E
13	29°20'54"	100.0	50.36	26.04	50.41	S 74°05'40"E
14	29°11'46"	100.0	50.96	26.04	50.41	N 44°49'20"E
15	43°34'16"	100.0	76.05	39.97	74.23	N 08°26'20"E
16	12°04'44"	399.4	71.55	35.91	71.42	N 68°41'58"E
17	37°22'17"	148.2	36.66	20.12	34.96	S 64°21'06"E
18	18°44'33"	148.2	49.48	24.46	48.76	S 50°39'11"E
19	04°06'50"	115.0	67.05	33.54	67.04	S 55°25'57"E
BLOCK 2						
1	57°50'21"	85.00	85.81	44.36	82.21	N 04°50'01"W
2	43°52'00"	85.00	65.08	34.23	63.59	N 55°41'12"W
3	51°15'00"	85.00	46.36	23.71	45.79	S 86°45'18"W
4	35°03'57"	85.00	52.02	26.85	51.21	S 53°35'50"W
5	30°00'26"	85.00	44.52	22.78	44.01	S 21°03'39"W
6	24°03'49"	85.00	35.70	18.12	35.44	S 05°58'27"E
7	31°51'47"	85.00	47.27	24.26	46.66	S 47°30'28"E
8	51°08'25"	85.00	75.87	40.67	73.58	S 89°00'34"E
ROAD CENTERLINE AND R/W						
C1	09°33'33"	1085.00	181.02	90.72	180.81	N 53°42'35"W
C2	56°06'50"	178.20	178.52	94.38	167.43	N 76°59'14"W
C3	16°19'09"	363.41	105.23	52.97	104.86	S 66°47'47"W
C4	360°00'00"	70.00	439.82	0.00	0.00	0.00
C5	360°00'00"	40.00	251.89	0.00	0.00	0.00
C6	360°00'00"	25.00	157.08	0.00	0.00	0.00
C7	360°00'00"	10.00	62.83	0.00	0.00	0.00
C8	56°46'13"	470.00	485.54	24.00	466.92	N 77°13'05"E
C9	11°51'32"	1075.00	222.50	111.63	222.10	S 37°13'28"W
C10	09°00'58"	1075.00	163.17	84.76	163.59	S 50°51'38"W
C11	24°04'25"	1155.00	478.88	242.11	473.88	N 43°19'55"E
C12	73°01'37"	430.00	563.07	330.11	523.70	N 68°48'31"E
C13	73°01'37"	430.00	563.07	330.11	523.70	S 68°48'31"W
C14	13°27'29"	1105.00	239.55	120.38	239.96	S 38°01'27"W
C15	10°36'55"	1105.00	204.75	102.48	204.68	S 50°03'39"W
C16	08°11'41"	430.00	70.08	35.10	70.02	N 39°29'39"E
C17	24°06'22"	275.00	115.78	59.78	114.86	N 28°01'54"E
C18	28°33'37"	245.00	122.13	62.36	120.07	N 30°15'33"E
C19	26°33'37"	215.00	107.17	54.78	106.87	S 30°15'33"W
C20	04°27'16"	273.00	21.38	10.70	21.57	N 42°18'43"E
C21	11°29'41"	100.00	20.06	10.06	20.03	S 60°27'13"E
C22	13°34'13"	85.00	20.13	10.11	20.09	S 24°47'29"E



GRID NORTH

BURLINGTON NORTHERN RAILROAD

A SUBDIVISION PLAT IN THE S. M. HAMILTON D.L.C. 40 IN SECTIONS 19 AND 20
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

SCALE 1" = 100'

STATE HIGHWAY

NO. 14

SHEET 4 OF 10 SHEETS

PLAT OF RELOCATED NORTH BONNEVILLE - BLOCK 4

BOOK B PAGE 10




TABLE OF CURVE DATA

LOT	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN. DIST.	CHORD	BEARING
1	41° 33' 31"	155.00	112.43	58.82	109.98	S 02° 37' 44" W
2	13° 21' 15"	165.00	38.46	19.32	38.87	S 11° 28' 24" E
3	43° 42' 00"	165.00	125.85	66.16	122.82	S 17° 03' 14" W
4	08° 56' 28"	120.00	17.68	8.86	17.66	S 53° 23' 12" E
5	28° 36' 17"	120.00	59.91	30.59	59.29	S 17° 51' 49" E
6	31° 25' 30"	120.00	65.82	33.16	65.00	S 12° 09' 04" W
7	30° 44' 45"	120.00	64.39	32.99	63.62	S 43° 14' 12" W
8	34° 11' 06"	120.00	71.60	36.90	70.54	S 75° 42' 07" W
9	07° 33' 53"	120.00	15.84	7.93	15.83	N 83° 55' 24" W
10	07° 15' 27"	233.92	30.39	15.22	30.37	N 86° 22' 17" W
11	25° 22' 57"	135.00	59.81	32.40	59.32	N 53° 55' 45" W
12	21° 52' 08"	135.00	51.53	26.08	51.22	N 30° 18' 13" W
13	23° 59' 23"	135.00	56.03	28.08	56.03	N 04° 04' 18" E
14	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
15	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
16	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
17	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
18	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
19	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
20	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
21	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E
22	04° 08' 57"	135.00	109.43	57.92	106.46	N 02° 14' 17" E

See Sheet No 8
See Sheet 9
for CURVE DATA

PLAT OF RELOCATED NORTH BONNEVILLE-CBD

A PLAT OF THE SCHOOL SITE AND PARK SITE
IN THE S.M. HAMILTON D.L.C. 40 IN SECTIONS 20 AND 29
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

SCALE 1"=100'

CENTRAL BUSINESS DISTRICT

Match to sheet 8

BLOCK 7

Match to sheet 7

MUNICIPAL LOT M20
SCALE 1"=100'
SEWAGE TREATMENT PLANT

DRIVE

Match to sheet 4

DRIVE

Match to sheet 6

DRIVE

Match to sheet 7

DRIVE

Match to sheet 8

DRIVE

Match to sheet 9

DRIVE

Match to sheet 10

DRIVE

Match to sheet 11

DRIVE

Match to sheet 12

DRIVE

Match to sheet 13

DRIVE

Match to sheet 14

DRIVE

BLOCK 5

Match to sheet 4

DRIVE

Match to sheet 5

DRIVE

Match to sheet 6

DRIVE

Match to sheet 7

DRIVE

Match to sheet 8

DRIVE

Match to sheet 9

DRIVE

Match to sheet 10

DRIVE

Match to sheet 11

DRIVE

Match to sheet 12

DRIVE

Match to sheet 13

DRIVE

Match to sheet 14

DRIVE

Match to sheet 15

DRIVE

Match to sheet 16

DRIVE

Match to sheet 17

DRIVE

Match to sheet 18

DRIVE

Match to sheet 19

DRIVE

Match to sheet 20

DRIVE

Match to sheet 21

DRIVE

Match to sheet 22

DRIVE

Match to sheet 23

DRIVE

Match to sheet 24

DRIVE

Match to sheet 25

DRIVE

Match to sheet 26

DRIVE

Match to sheet 27

DRIVE

Match to sheet 28

DRIVE

Match to sheet 29

DRIVE

Match to sheet 30

DRIVE

Match to sheet 31

DRIVE

Match to sheet 32

DRIVE

Match to sheet 33

DRIVE

Match to sheet 34

DRIVE

Match to sheet 35

DRIVE

Match to sheet 36

DRIVE

Match to sheet 37

DRIVE

Match to sheet 38

DRIVE

Match to sheet 39

DRIVE

Match to sheet 40

DRIVE

Match to sheet 41

DRIVE

Match to sheet 42

DRIVE

Match to sheet 43

DRIVE

Match to sheet 44

DRIVE

Match to sheet 45

DRIVE

Match to sheet 46

DRIVE

Match to sheet 47

DRIVE

Match to sheet 48

DRIVE

Match to sheet 49

DRIVE

Match to sheet 50

DRIVE

Match to sheet 51

DRIVE

Match to sheet 52

DRIVE

Match to sheet 53

DRIVE

Match to sheet 54

DRIVE

Match to sheet 55

DRIVE

Match to sheet 56

DRIVE

Match to sheet 57

DRIVE

Match to sheet 58

DRIVE

Match to sheet 59

DRIVE

Match to sheet 60

DRIVE

Match to sheet 61

DRIVE

Match to sheet 62

DRIVE

Match to sheet 63

DRIVE

Match to sheet 64

DRIVE

Match to sheet 65

DRIVE

Match to sheet 66

DRIVE

Match to sheet 67

DRIVE

Match to sheet 68

DRIVE

Match to sheet 69

DRIVE

Match to sheet 70

DRIVE

Match to sheet 71

DRIVE

Match to sheet 72

DRIVE

Match to sheet 73

DRIVE

Match to sheet 74

DRIVE

Match to sheet 75

DRIVE

Match to sheet 76

DRIVE

Match to sheet 77

DRIVE

Match to sheet 78

DRIVE

Match to sheet 79

DRIVE

Match to sheet 80

DRIVE

Match to sheet 81

DRIVE

Match to sheet 82

DRIVE

Match to sheet 83

DRIVE

Match to sheet 84

DRIVE

Match to sheet 85

DRIVE

Match to sheet 86

DRIVE

Match to sheet 87

DRIVE

Match to sheet 88

DRIVE

Match to sheet 89

DRIVE

Match to sheet 90

DRIVE

Match to sheet 91

DRIVE

Match to sheet 92

DRIVE

Match to sheet 93

DRIVE

Match to sheet 94

DRIVE

Match to sheet 95

DRIVE

Match to sheet 96

DRIVE

Match to sheet 97

DRIVE

Match to sheet 98

DRIVE

Match to sheet 99

DRIVE

Match to sheet 100

DRIVE

Match to sheet 101

DRIVE

Match to sheet 102

DRIVE

Match to sheet 103

DRIVE

Match to sheet 104

DRIVE

Match to sheet 105

DRIVE

Match to sheet 106

DRIVE

Match to sheet 107

DRIVE

Match to sheet 108

DRIVE

Match to sheet 109

DRIVE

Match to sheet 110

DRIVE

Match to sheet 111

DRIVE

Match to sheet 112

DRIVE

Match to sheet 113

DRIVE

Match to sheet 114

DRIVE

Match to sheet 115

DRIVE

Match to sheet 116

DRIVE

Match to sheet 117

DRIVE

Match to sheet 118

DRIVE

Match to sheet 119

DRIVE

Match to sheet 120

DRIVE

Match to sheet 121

DRIVE

Match to sheet 122

DRIVE

Match to sheet 123

DRIVE

Match to sheet 124

DRIVE

Match to sheet 125

DRIVE

Match to sheet 126

DRIVE

Match to sheet 127

DRIVE

Match to sheet 128

DRIVE

Match to sheet 129

DRIVE

Match to sheet 130

DRIVE

Match to sheet 131

DRIVE

Match to sheet 132

DRIVE

Match to sheet 133

DRIVE

Match to sheet 134

DRIVE

Match to sheet 135

DRIVE

Match to sheet 136

DRIVE

Match to sheet 137

DRIVE

Match to sheet 138

DRIVE

Match to sheet 139

DRIVE

Match to sheet 140

DRIVE

Match to sheet 141

DRIVE

Match to sheet 142

DRIVE

Match to sheet 143

DRIVE

Match to sheet 144

DRIVE

Match to sheet 145


DRIVE

Match to sheet 146

<

PLAT OF RELOCATED NORTH BONNEVILLE- BLOCK 6

A SUBDIVISION PLAT IN THE S.M. HAMILTON D.L.C. 40 IN SECTIONS 20 AND 29
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON



SCALE 1"=100'



TABLE OF CURVE DATA (CONT'D)

NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN-CHORD	LONG-CHORD	BEARING
ROAD CENTERLINE AND R/W (CONT'D)						
C1	18° 30' 00"	125.00	36.30	18.12	35.87	N 16° 33' 51" W
C2	23° 30' 22"	470.00	192.82	97.79	191.47	N 83° 19' 05" W
C3	16° 49' 14"	357.80	105.04	52.90	104.67	S 07° 27' 51" W
C4	40° 43' 53"	601.64	427.72	233.35	418.77	N 40° 17' 57" E
C5	27° 03' 57"	523.31	332.28	167.93	330.45	S 85° 08' 52" E
C6	24° 16' 53"	176.54	74.82	37.98	74.86	N 41° 18' 37" E
C7	16° 35' 13"	155.00	44.87	22.57	44.72	S 64° 25' 28" W
C8	16° 11' 18"	357.87	101.09	50.29	100.76	N 03° 02' 26" W
C9	08° 02' 30"	601.63	42.61	21.32	42.60	S 17° 54' 13" W
C10	13° 51' 11"	85.00	20.55	10.33	20.50	S 67° 01' 35" W
ROAD CENTERLINE AND R/W						
C1	15° 30' 00"	125.00	36.30	18.12	35.87	N 16° 33' 51" W
C2	21° 11' 25"	125.00	36.30	18.12	35.87	N 82° 07' 53" W
C3	78° 31' 40"	80.00	106.73	62.45	117.22	N 19° 27' 57" W
C4	27° 03' 57"	523.31	332.28	167.93	330.45	S 85° 08' 52" E
C5	43° 48' 11"	146.54	74.82	37.98	74.86	N 41° 18' 37" E
C6	17° 52' 33"	205.00	64.17	32.35	64.17	N 72° 18' 13" E
C7	23° 30' 22"	470.00	192.82	97.79	191.47	N 83° 19' 05" W
C8	15° 54' 51"	175.00	44.86	22.46	44.86	S 72° 33' 03" E
C9	27° 03' 57"	523.31	332.28	167.93	330.45	S 85° 08' 52" E
C10	33° 00' 32"	297.80	111.57	55.00	111.57	S 00° 37' 48" E
C11	44° 47' 23"	541.63	423.23	212.73	412.73	S 38° 16' 12" W

PLAT OF RELOCATED NORTH BONNEVILLE - BLOCK 7

A SUBDIVISION PLAT IN THE S.M. HAMILTON D.L.C. 40 IN SECTION 20
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

SCALE 1"=100'

SHEET 7 OF 10 SHEETS

TABLE OF CURVE DATA					
LOT NO	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN- GENT	LONG CHORD

BLOCK 7					
1	24° 50' 02"	85.00	36.84	18.72	36.55
2	36° 31' 25"	115.00	73.31	37.95	72.07
3	18° 06' 49"	85.00	26.97	13.55	26.76
4	04° 00' 20"	105.00	7.34	3.67	7.34
5	37° 53' 04"	105.00	69.43	34.04	68.17
6	36° 33' 26"	105.00	67.00	34.68	65.86
7	49° 31' 36"	90.00	66.80	35.27	65.28
8	12° 38' 19"	30.00	19.65	9.97	19.81
9	12° 39' 01"	145.34	32.09	16.11	32.02
10	31° 51' 31"	145.34	81.07	41.62	80.02
11	19° 43' 51"	145.34	50.05	28.28	49.80
12	26° 27' 55"	62.00	28.64	14.58	28.38
13	60° 14' 44"	62.00	46.19	25.97	46.23
14	40° 38' 07"	62.00	43.97	22.96	43.06
15	118° 33' 18"	45.00	93.11	75.72	77.37
16	03° 55' 04"	145.00	9.92	4.96	9.91
17	30° 25' 21"	145.00	76.99	39.43	76.09
18	45° 43' 38"	60.00	47.89	23.30	46.43
19	44° 26' 20"	60.00	48.08	23.14	47.31
20	43° 39' 35"	60.00	45.72	24.04	44.62
21	57° 27' 43"	60.00	60.17	32.89	57.68
22	51° 28' 47"	60.00	53.91	28.93	52.11
23	55° 13' 58"	60.00	57.84	31.39	55.43
24	36° 31' 25"	115.00	111.56	57.75	109.68

ROAD CENTERLINE AND R/W					
C1	23° 17' 43"	310.00	126.05	63.91	125.88
C2	36° 02' 06"	290.00	182.39	94.32	179.40
C3	24° 32' 29"	305.00	130.64	66.34	123.64
C4	24° 32' 29"	245.00	104.94	53.29	104.14
C5	36° 02' 06"	350.00	220.13	113.84	216.52
C6	23° 17' 43"	280.00	101.65	51.54	100.35
C7	23° 17' 49"	280.00	113.85	57.72	113.07
C8	36° 02' 06"	320.00	201.26	104.08	197.36
C9	24° 32' 29"	275.00	117.19	59.81	116.89
C10	36° 31' 25"	145.00	92.43	47.85	90.88
C11	42° 56' 50"	115.00	86.20	45.24	84.20
C12	118° 33' 16"	75.00	155.19	128.20	128.95
C13	145° 54' 55"	35.00	81.49	104.97	61.19
C14	64° 20' 23"	115.34	129.52	72.55	122.82
C15	72° 09' 45"	60.00	75.57	43.72	70.67
C16	08° 36' 26"	145.00	21.78	10.91	21.76
C17	13° 37' 25"	75.00	17.88	8.96	17.79
C18	18° 33' 43"	62.00	20.09	10.13	20.00
C19	12° 25' 27"	105.00	22.77	11.43	22.72
C20	64° 20' 23"	83.34	95.83	53.68	90.87
C21	59° 45' 02"	3.53	3.68	2.03	3.51



PLAT OF RELOCATED
NORTH BONNEVILLE - CBD

A SUBDIVISION PLAT OF THE CENTRAL BUSINESS DISTRICT
IN THE S.M. HAMILTON D.L.C. 40 IN SECTION 20
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON


LOT NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN. GENT	LONG. CHORD	LONG BEARING
BOUNDARY LINE OF CENTRAL BUSINESS DISTRICT						
B-1	28° 21' 35"	270.00	124.22	63.23	123.12	N 12° 35' 43" E
B-2	46° 12' 11"	280.00	225.79	119.44	219.12	N 22° 31' 01" E
B-3	22° 15' 02"	624.00	275.00	139.77	272.78	N 58° 14' 57" E
B-4	07° 11' 44"	882.20	110.77	55.46	110.63	N 74° 29' 00" E
S-3	22° 31' 32"	227.20	101.13	51.42	100.30	N 33° 21' 37" E

See Sheet 9

SCALE: 1" = 50'

LOT NO.	COORD. NO.	NORTH COORDINATE	EAST COORDINATE	LOT NO.	COORD. NO.	NORTH COORDINATE	EAST COORDINATE
C-19	1	722,295.995	1,623,092.58	C-23	19	722,277.96	1,622,873.57
C-18	2	722,326.48	1,623,079.99	C-22	20	722,273.28	1,622,846.82
C-17	3	722,329.21	1,623,047.39	C-21	21	722,176.81	1,622,901.00
C-16	4	722,354.13	1,623,107.43	C-20	22	722,150.19	1,622,965.39
C-15	5	722,610.39	1,623,230.09	C-19	23	722,320.31	1,622,970.06
C-14	6	722,603.81	1,623,232.42	C-18	24	722,383.15	1,622,946.04
C-13	7	722,600.99	1,623,372.01	C-17	25	722,475.81	1,623,023.21
C-12	8	722,603.99	1,623,427.43	C-16	26	722,466.64	1,623,045.39
C-11	9	722,795.73	1,623,396.03	C-15	27	722,559.14	1,623,125.07
C-10	10	722,812.56	1,623,460.68	C-14	28	722,489.90	1,623,051.08
C-9	11	722,604.05	1,623,182.64	C-13	29	722,590.47	1,622,952.24
C-8	12	722,628.97	1,623,242.67	C-12	30	722,464.54	1,622,977.95
C-7	13	722,754.51	1,623,185.16	C-11	31	722,451.97	1,622,891.39
C-6	14	722,754.51	1,623,210.07	C-10	32	722,502.73	1,622,789.52
C-5	15	722,634.47	1,622,952.59	C-9	33	722,531.89	1,623,146.69
C-4	16	722,571.37	1,622,935.72	C-8	34	722,635.30	1,623,114.45
C-3	17	722,605.87	1,622,919.81	C-7	35	722,767.76	1,623,060.56
C-2	18	722,449.03	1,622,993.74	C-6	36	722,759.91	1,623,172.09
C-1	19	722,571.37	1,623,210.07	C-5	37	722,676.81	1,623,446.64
C-0	20	722,571.37	1,623,210.07	C-4	38	722,762.89	1,623,497.54
C-0	21	722,571.37	1,623,210.07	C-3	39	722,545.45	1,623,484.93
C-0	22	722,571.37	1,623,210.07	C-2	40	722,596.54	1,623,255.84
C-0	23	722,571.37	1,623,210.07	C-1	41	722,531.89	1,623,282.68
C-0	24	722,571.37	1,623,210.07	C-0	42	722,573.54	1,623,200.43
C-0	25	722,571.37	1,623,210.07	C-0	43	722,573.54	1,623,227.26
C-0	26	722,571.37	1,623,210.07	C-0	44	722,508.89	1,623,227.26

SHEET 8 OF 10 SHEETS



LOT NO.	COORD. NO.	NORTH COORDINATE	EAST COORDINATE	LOT NO.	COORD. NO.	NORTH COORDINATE	EAST COORDINATE
M-6	57	722,629.21	1,623,269.35	M-9	63	722,624.30	1,623,358.38
M-5	58	722,653.47	1,623,327.79	M-8	64	722,529.09	1,623,390.54
M-4	59	722,619.78	1,623,374.53	M-7	65	722,481.54	1,623,290.26
M-3	60	722,572.34	1,623,371.99	M-6	66	722,408.47	1,623,354.54
M-2	61	722,682.92	1,623,373.52	M-5	67	722,687.41	1,623,404.35
M-1	62	722,687.41	1,623,404.35	M-4	68	722,687.41	1,623,404.35

See Sheet 5

See Sheet 7

NE CORNER D.L.C. 41

Sheet 10

PLAT OF RELOCATED NORTH BONNEVILLE-CBD

A SUBDIVISION PLAT OF THE CENTRAL BUSINESS DISTRICT
IN THE S.M. HAMILTON D.L.C. 40 IN SECTION 20
TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

SCALE 1"=100'



LOT NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN. GENT. CHORD	LONG CHORD BEARING
MF 1	08° 41' 48"	310.00	41.05	23.57	5 09° 40' 45" E
MF 2	30° 20' 30"	80.00	44.37	21.69	41 87' 11" 57" E
MF 3	31° 39' 30"	80.00	44.20	22.68	43 64' 52" 19" E
MF 4	14° 36' 01"	310.00	79.00	99.71	5 21° 19' 40" E
MF 5	28° 17' 36"	50.00	24.69	12.60	172° 16' 30" E
MF 6	31° 43' 06"	50.00	27.66	14.20	5 54° 08' 27" E
MF 7	67° 24' 03"	50.00	58.82	33.35	5 54° 08' 27" E
MF 8	62° 00' 00"	20.00	21.64	12.02	5 27° 07' 42" W
MF 9	107° 28' 20"	50.00	93.79	68.16	80 63' 54" 10' 42" W
MF 10	08° 52' 48"	340.00	52.70	26.40	5 44° 10' 42" W
MF 11	23° 34' 41"	50.00	20.58	10.44	20 43' 47' 21" W
MF 12	06° 00' 15"	294.79	306.49	153.39	58 17' 10' 53" W

LOT NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN. GENT. CHORD	LONG CHORD BEARING
C-1	46° 12' 11"	310.00	249.99	122.24	245 26' 31" 01" E
C-2	35° 15' 02"	654.00	288.22	246.49	245 30' 14" 57" E
C-3	15° 15' 34"	912.00	242.89	122.17	242 18' 59" 51" E
C-4	70° 03' 57"	624.00	219.44	102.87	218 31' 58" 26" E
C-5	15° 15' 34"	882.00	214.50	108.15	224 21' 55" 55" E
C-6	15° 15' 34"	942.00	220.08	126.19	250 14' 57" 23" W
C-7	90° 11' 09"	492.00	77.13	49.16	63 41' 17" 55" W
C-8	34° 46' 21"	53.70	61.38	50.20	74 15' 42" 47" 49" E
C-9	35° 11' 57"	36.20	53.82	39.42	53 17' 42" 47" 49" E
C-10	19° 04' 48"	420.00	129.36	70.55	129 22' 57" 09" 27" E
C-11	14° 33' 42"	684.00	173.44	87.39	173 37' 55" 24" 47" W
C-12	46° 12' 11"	340.00	274.17	146.03	246 01' 22" 31" 01" W
C-13	12° 30' 00"	516.20	112.36	54.40	112 13' 50" 37" 54" W
C-14	19° 27' 44"	320.00	122.29	61.74	121 70' 09" 24" 00" E
C-15	61° 23' 46"	210.00	225.09	124.68	214 42' 30" 06" 48" W
C-16	61° 23' 46"	240.00	257.18	142.49	245 05' 30" 06" 48" W
C-17	61° 23' 46"	270.00	289.32	160.30	275 68' 30" 06" 48" W
C-18	62° 00' 00"	50.00	54.11	30.04	57 50' 27" 07" 42" W
C-19	37° 19' 12"	340.00	221.48	114.83	217 58' 51" 04" 36" W

ROAD CENTERLINE AND R/W	ROAD CENTERLINE AND R/W	ROAD CENTERLINE AND R/W	ROAD CENTERLINE AND R/W	ROAD CENTERLINE AND R/W	ROAD CENTERLINE AND R/W
C-1	46° 12' 11"	310.00	249.99	122.24	245 26' 31" 01" E
C-2	35° 15' 02"	654.00	288.22	246.49	245 30' 14" 57" E
C-3	15° 15' 34"	912.00	242.89	122.17	242 18' 59" 51" E
C-4	70° 03' 57"	624.00	219.44	102.87	218 31' 58" 26" E
C-5	15° 15' 34"	882.00	214.50	108.15	224 21' 55" 55" E
C-6	15° 15' 34"	942.00	220.08	126.19	250 14' 57" 23" W
C-7	90° 11' 09"	492.00	77.13	49.16	63 41' 17" 55" W
C-8	34° 46' 21"	53.70	61.38	50.20	74 15' 42" 47" 49" E
C-9	35° 11' 57"	36.20	53.82	39.42	53 17' 42" 47" 49" E
C-10	19° 04' 48"	420.00	129.36	70.55	129 22' 57" 09" 27" E
C-11	14° 33' 42"	684.00	173.44	87.39	173 37' 55" 24" 47" W
C-12	46° 12' 11"	340.00	274.17	146.03	246 01' 22" 31" 01" W
C-13	12° 30' 00"	516.20	112.36	54.40	112 13' 50" 37" 54" W
C-14	19° 27' 44"	320.00	122.29	61.74	121 70' 09" 24" 00" E
C-15	61° 23' 46"	210.00	225.09	124.68	214 42' 30" 06" 48" W
C-16	61° 23' 46"	240.00	257.18	142.49	245 05' 30" 06" 48" W
C-17	61° 23' 46"	270.00	289.32	160.30	275 68' 30" 06" 48" W
C-18	62° 00' 00"	50.00	54.11	30.04	57 50' 27" 07" 42" W
C-19	37° 19' 12"	340.00	221.48	114.83	217 58' 51" 04" 36" W

PLAT OF RELOCATED NORTH BONNEVILLE - BLOCKS 8-9

A SUBDIVISION PLAT IN THE S.M. HAMILTON D.L.C. 40 AND G.W. JOHNSON D.L.C. 38
IN SECTION 20 TOWNSHIP 2 NORTH RANGE 7 EAST WILLAMETTE MERIDIAN
SKAMANIA COUNTY WASHINGTON

SCALE 1"=100'

SHEET 10 OF 10 SHEETS



TABLE OF CURVE DATA (CONT'D)

LOT NO.	CENTRAL ANGLE	RADIUS	ARC LENGTH	TAN-GEN	LONG CHORD	LONG BEARING
16	51° 11' 31"	60.00	53.64	28.74	51.84	S 07° 59' 28" E
17	68° 33' 37"	60.00	71.80	40.30	67.59	S 01° 53' 08" W
17	17° 53' 27"	295.00	92.12	46.44	91.74	S 77° 46' 49" E
ROAD CENTERLINE AND POR. OF R/W - BLOCK 9						
C1	17° 53' 27"	325.00	101.48	51.16	101.07	S 72° 46' 49" E
C2	6° 42' 10"	180.00	193.85	107.52	184.61	N 85° 08' 49" E
C3	29° 34' 01"	180.00	92.89	47.50	91.86	N 39° 04' 44" E
C4	21° 47' 10"	380.00	142.12	123.20	172.62	N 82° 14' 47" W
C5	21° 47' 10"	380.00	142.12	123.20	172.62	N 82° 14' 47" W
C6	16° 54' 47"	60.00	23.72	12.34	23.34	N 82° 14' 30" E
C7	16° 54' 47"	60.00	23.72	12.34	23.34	N 82° 14' 30" E
C8	19° 11' 17"	60.00	20.09	10.14	20.00	S 01° 17' 29" E
ROAD CENTERLINE AND POR. OF R/W - BLOCK 8						
C1	73° 22' 09"	175.00	124.03	130.37	209.03	S 81° 08' 33" E
C2	55° 15' 23"	14.83	73.53	40.03	70.61	S 16° 19' 48" E
C3	13° 04' 14"	50.00	119.62	127.16	93.06	N 56° 44' 14" W
C4	51° 13' 04"	173.02	149.57	82.93	149.57	S 80° 20' 11" W
C5	127° 00' 22"	49.39	103.49	99.07	88.41	S 42° 36' 43" W
C6	104° 30' 04"	100.00	182.40	129.17	158.15	S 73° 18' 32" E
C7	39° 18' 57"	108.62	75.92	75.92	73.73	N 14° 08' 26" E
C8	41° 47' 57"	108.62	75.92	75.92	73.73	N 14° 08' 26" E
C9	81° 36' 43"	49.36	43.33	65.52	52° 46' 15" W	
C10	137° 04' 14"	20.00	47.85	30.87	37.23	N 52° 44' 14" W
C11	81° 56' 43"	19.96	28.53	17.34	24.18	N 52° 44' 15" W
C12	39° 18' 57"	108.62	75.92	75.92	73.73	N 14° 08' 26" E
C13	104° 30' 04"	100.00	182.40	129.17	158.15	S 73° 18' 32" E
C14	126° 39' 59"	19.39	42.59	36.30	34.71	S 42° 36' 43" W
C15	51° 13' 04"	205.02	181.49	97.31	175.50	S 80° 20' 11" W
C16	03° 39' 00"	205.02	181.49	97.31	175.50	S 80° 20' 11" W
C17	81° 06' 10"	79.62	112.70	68.13	103.53	S 85° 00' 36" E

TABLE OF CURVE DATA

LOT NO	CENTRAL ANGLE	RADIUS	ARC LENGTH	TANGENT	LONG CHORD	LONG BEARING
BLOCK 8						
1	13° 42' 25"	205.00	43.04	24.64	48.93	S 63° 01' 35" W
2	15° 17' 31"	205.00	54.71	27.52	54.55	S 83° 31' 34" W
3	07° 12' 49"	205.00	25.81	12.92	25.79	N 89° 13' 16" W
4	18° 13' 30"	205.00	65.21	32.88	64.93	N 72° 30' 06" W
5	15° 16' 53"	205.00	54.63	27.52	54.51	N 65° 44' 55" W
6	01° 01' 41"	130.00	2.34	1.17	2.34	S 54° 57' 09" W
7	24° 43' 32"	130.00	50.10	28.49	55.67	S 67° 49' 49" W
8	30° 14' 30"	130.00	68.62	35.13	67.82	N 84° 41' 10" W
11	14° 51' 39"	130.00	33.76	16.97	33.66	N 44° 25' 37" W
12	15° 55' 59"	130.00	36.15	18.19	36.03	N 29° 01' 19" W
13	34° 04' 46"	79.39	48.35	24.97	47.63	N 03° 35' 55" W
14	12° 04' 41"	79.39	16.74	8.40	16.71	N 139° 53' 49" E
17	12° 53' 34"	79.39	17.87	8.97	17.83	N 164° 47' 05" E
18	09° 30' 49"	143.02	23.75	11.90	23.72	S 78° 48' 41" E
19	27° 09' 54"	143.02	31.48	15.35	31.27	S 86° 24' 42" E
20	20° 32' 21"	143.02	26.12	12.53	26.53	N 86° 30' 51" E
21	12° 39' 35"	80.00	31.64	16.03	31.43	N 64° 53' 50" E
22	18° 16' 38"	80.00	25.52	12.87	25.41	N 66° 03' 27" E
23	29° 01' 56"	80.00	40.54	20.71	40.10	S 69° 49' 09" E
24	19° 55' 32"	80.00	27.82	14.05	27.68	S 45° 20' 25" E
25	17° 55' 32"	80.00	27.02	14.05	27.68	S 25° 24' 53" E
26	27° 15' 01"	80.00	38.05	19.39	37.69	S 01° 49' 37" E
27	36° 15' 23"	44.89	44.08	24.00	42.33	S 16° 19' 48" E
28	33° 48' 05"	145.00	100.14	52.16	94.16	S 64° 14' 30" E
ROAD CENTERLINE AND POR. OF R/W - BLOCK 8						
C1	73° 22' 09"	175.00	124.03	130.37	209.03	S 81° 08' 33" E
C2	55° 15' 23"	14.83	73.53	40.03	70.61	S 16° 19' 48" E
C3	13° 04' 14"	50.00	119.62	127.16	93.06	N 56° 44' 14" W
C4	51° 13' 04"	173.02	149.57	82.93	149.57	S 80° 20' 11" W
C5	127° 00' 22"	49.39	103.49	99.07	88.41	S 42° 36' 43" W
C6	104° 30' 24"	100.00	182.40	129.17	158.15	S 73° 18' 32" E
C7	39° 18' 19"	109.62	75.20	75.15	73.73	N 14° 05' 36" E
C8	41° 47' 57"	109.62	75.97	74.86	76.21	S 66° 21' 26" E
C9	81° 36' 43"	49.36	43.33	65.52	52.46	S 52° 46' 15" W
C10	137° 04' 14"	20.00	47.85	30.87	37.23	N 50° 44' 14" W
C11	81° 56' 43"	19.96	28.53	17.34	24.18	N 52° 46' 15" E
C12	39° 18' 19"	139.62	98.75	49.56	93.91	N 74° 05' 26" E
C13	104° 30' 24"	70.00	127.68	38.82	110.70	S 73° 18' 32" E
C14	126° 39' 59"	19.39	42.99	36.30	34.71	S 42° 36' 44" W
C15	51° 13' 04"	203.02	181.49	97.31	175.50	S 80° 20' 11" W
C16	03° 39' 00"	203.02	181.06	6.35	13.06	S 46° 16' 58" E
C17	81° 06' 16"	79.62	112.70	68.13	103.53	S 85° 00' 36" E
BLOCK 9						
2	12° 02' 49"	355.00	74.64	37.46	74.50	N 75° 42' 08" W
3	05° 50' 39"	355.00	36.21	18.12	36.19	N 62° 45' 25" W
4	34° 17' 02"	68.30	40.69	20.97	40.69	S 07° 45' 13" W
5	54° 45' 10"	180.00	143.34	77.61	137.95	S 88° 47' 19" W
6	44° 29' 43"	68.00	35.81	17.62	35.81	S 47° 08' 38" W
7	47° 13' 05"	68.00	55.04	29.72	54.47	N 86° 59' 55" W
8	53° 38' 31"	68.00	63.66	34.38	61.36	N 36° 34' 07" W
9	04° 45' 32"	210.00	17.44	8.73	17.44	N 27° 15' 29" E
10	17° 57' 43"	210.00	65.83	33.19	64.57	N 38° 39' 07" E
11	16° 20' 53"	210.00	53.92	30.16	53.92	N 55° 33' 32" E
12	28° 30' 17"	210.00	104.48	53.34	99.40	N 73° 40' 53" E
13	43° 33' 12"	60.00	43.80	22.75	42.55	N 83° 53' 53" E
14	39° 18' 43"	60.00	45.61	23.97	44.52	N 13° 04' 10" W
15	36° 39' 33"	60.00	41.17	21.43	40.37	N 29° 28' 40" E
16	36° 39' 33"	60.00	38.39	19.88	37.14	S 51° 55' 00" E