134004

Return Address:

Ronald K. Henle P.O. Box 13 North Bonneville, WA 98639

FILLS PAGE 631
SET SHARE
BY Ronald K. Henle.

JM 14 3 52 Fit 199 LINDSOR AUCTROR GARY M. OLSON

Please	Print	Of 1	eqy]	Information

Document Title(s) or transactions contained therein:	
1. Death Certificate	17:10d, In
. 2.	200
3. 4.	TROU
GRANTOR(S) (Last name, first, then first name and initials)	
1. Iman, Grace Virginia	
2.	
3. 4.	
[] Additional Names on page of document.	•
GRANTEE(S) (Last name, first, then first name and initials)	
1. Henle, Ronald K.	-
2.	74
3. 4.	
[] Additional Names on page of document.	
LEGAL DESCRIPTION (Abbreviated: I.E., Lot, Block, Plat or Section, Towns)	hip. Range, Quarter/Quarter)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	n. \ /
[] Complete legal on page of document.	
REFERENCE NUMBER(S) Of Documents assigned or released:	REAL ESTATE EXCISE TAX
[] Additional numbers on page of document.	19958
ASSESSOR'S PROPERTY TAX PARCEL/ACCOUNT NUMBER	PAID Exempt.
ス- 7- みの - 3- 4 - / 0 O 【】Property Tax Parcel ID is not yet assigned.	- JW
Additional parcel #'s on page of document.	SKAMANIA COUNTY TREASURED
The Auditor/Recorder will rely on the information provided on the fo	
the document to verify the accuracy or completeness of the indexin	oni. The Staff Will NOT read

		DEP PRI MEN	T JOIN HEVETH		淡》淡
	PE OR PROVI ON PERMANENT BLACK ON	7 ,	Health	1.4	185 PAST 6.
	ECCALFLE NUMBER	CERTIF	ICATE OF DEAT	H '	S'A'EFLENUMBER
	1 HAVE FOR	Vd:	ter	2 SET(NIF)	3 DEATH DATE (NO Day V)
	Grace	Virginia	IMAN	Female	January 1, 1
_	82.	5 643	stevenson, W	NUS ARMED	FOPCES*
	White College	1.0 HQME 2.0 IN TUB	BOXFORPLACE THEN GIVE ACORESS ON GOOD IS OF ENERGINE MAJOR IN A XICON	NSTRUTON NUE	CE SUCKENS IN
	White Salmon	Skyline Skyline	llospital		Ye
╛	Never Veried Widowed Directed (Scooth)	The state of the season of the	18 SOCIAL SECUR	is	COEDENT S EDUCATION COECH ENT Figher grade completed)
	Divorced	·- /		E -	SEU Combo St 4
-	Il Omemaker Ilomemaker			Apare projin protescent? (An Medy Cuben, Marcan, Puero	Picon art)
	22 RESDENCE-PAMPER NO STREET	Own Home	(Yes/No) Spec		Caucasi
7 🖪	801 Celilo		(Vol.14o)	250 LENGTH OF RES IN CO	
1 4	28 FATHERS NAME - FIFST, MODILE CAST	NBonnevill		ia 85 yrs	Wash 9863
	Edgar Ayres		Grace	Turner	
	Shirley Ferguson	31 WUNG 100		CITY OF TOWN	STATE ZP
7	32 BURN CREMITON I IN OUTCOM TO	PU 2:0	x 434, Carson,	Washingto	
- 1	Cremation 1-4-99	Willamett	e Crematory	Tigard.	Oregon
	File Smit	Davice Cro-		A ADDRESS OF FAC	98666
	TO BE COMPLETED ONLY BY COM	THE THE PRESENCE OF	ation & Burial		47, Vancouver
-	ME TO THE BEST OF MY KNOWLEDGE ME HAS BEEN BY KNOWLEDGE	E DEATH OCCUPYED AT THE TIME DATEA	NO PLACE 43 ON THE BASIS OF EXA-	MINATION AND/OR INVESTIG NACE AND WAS DUE TO THE	ATION, IN MY OPINION DEATH OCCUPAGE
	X NOW THE	-140	SCHATURE AND TITLE	SOC ALC HAS DOE TO THE	CALCETS/3/4(E)
	40 DATESCHED (M), DEATH)	41 HOUR OF DEATH (24 Ha	A DATE SIGNED (NO. De	y Yr)	45 HOUR OF CEATH (24
	01-04-1999	1445	T		
	The same of the sa	OTHER THAN CERTIFIER (Type or Part)	PRONOUNCED DEAD I	Mo . Day, Y/3	47 HOUR PRONOUNCES (24 Hs.)
	GERGOTY THE ME	O 7 E COLUMN EN OR CONOMER (TAN	e or Printing	-	49 MECOPONER FLEN
┨	Gregory Zuck MD,	MATERIAL SWAR CHEEN THE	eek Dr., Steve	nson, WA	98648
	MASCULTE CAUSE (Find disease or condition resulting in death)	STATE OF THE STATE	DEATH	_	INTERVAL BETWEEN ON
	A Dot	vel hoxelton	Surgey	7 . T	DEATH 2 hr
-10	PESPHATORY AND SET SHOCK OR 1 6 1	AS A COMBEQUENCE OF		. 1	INTERVAL BETWEEN ON
	CHEE CHEACH LINE DUE TO O	MAS A DONSEQUENCE OF	Gary H. Marris Ch.		INTERVAL BETWEEN CH
	Engage of the Company	RAS A CONSEQUENCE OF	Gary H. Martin, Skam		
-	Mary units initiated ports earthing in duct U.S.T.		7	arcel # 1-1-24-3	HITERVAL BETWEEN ON
	51 OTHER SIGNAFICANT CONDITIONS CONDITION	NS CONTINUE TO DEATH BUT NOT RES	SILTING IN THE UNCERCYING CAUSE GIVE		
	SH ACC SUCIDE HOM, UNDET, (SE NULLY)	DATE Mo Day Try Se HOR CE HO	2176	(Yes/Ho)	NO COMOMENS (AMENDES ON
	CHI MEHONG MAEST (DONCA)		O DECEMBERON NUMBER COO	TAMED	
	NA NIEVALENCE	NA S	NA NA	-	
	59 PLACE OF HU (Yes / Ho) 90 PLACE OF HU BLDG, ETC (S	UTY-AT HOME FAMIL TREE TRANSPORT	STREET OR NO	NO . CITY/TOWN, STATE	
7	61 PECOPO AMERICARRIT PROGRAFA UM 01/13				ES CATE RECEIVED (No
	Supplies Sup	DBY DATE V			Some necesses (we
Į.		NY/X			01/04/99

•

Base and Meridian, and running thence North 89°57' West 1349.7 feet to an irrigation ditch, thence along said ditch to wit: N.52°30'E. 992.64 feet; thence N.8°30'E. 85.8 feet; thence N.31°15'W. 693 feet; thence N.14°15'W. 675.84 feet; thence East 17.16 feet; thence N.10°E. 919.38 feet to the South bank of the Logan River; thence along said river Easterly to point N.0°17'W. 2770.68 feet of beginning: thence S.0°17'E. 2770.68 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-365

Lands in CACHE County, State of UTAH

Beginning at a point 749.7 feet East of the center of Section 35, T. 12 N., R. 1 W., S.L.M., and running thence N.6°25′E. 276.7 feet; thence N.41°06′W. 328.5 feet; thence N.30°12′E. 254.6 feet; thence N.38°24′E. 232.1 feet; thence S.70°38′E. 596.1 feet; thence S.88°11′E. 295.8 feet; thence N.53°54′E. 146.7 feet; thence N.5°29′E. 393.3 feet; thence S.60°21′E. 627.9 feet; thence S.26°39′W. 257.5 feet; thence S.15 56″E. 190.1 feet; thence S.43°17′E. 236.3 feet; thence S.0°49′E. 273.8 feet to a point due East of beginning; thence West 1750 feet to the place of beginning.

Cutler Hydro Plant-Parcel Number CA-366

Lands in CACHE County, State of UTAH

A tract of land situate in the Northeast one-quarter of the Southeast one-quarter of Section 35, Township 12 North, Range I West, Salt Lake Meridian, begin described as follows: Beginning at the Northeast Corner of said Southeast one-quarter of Section 35 and running thence South 1°32' East (basis of bearing) 683.60 feet along the East line of said Southeast one-quarter; thence Northwesterly 752.06 feet to a point on the North line of said Southeast Quarter; thence Easterly 305.65 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-367

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest one-quarter of the Southeast one-quarter of Section 35, Township 12 North, Range 1 West, Salt Lake Meridian, being described as follows: Beginning on the west line of the said Southeast one quarter of Section 35 at a point South 1°33' East (basis of bearing) 716.2 feet from the Northwest Corner of said Southeast one-quarter of Section 35 and running thence South 64°23' East 145.0 feet; thence North 48°32' East 504.7 feet; thence North 77°39' East 178.5 feet; thence North 06°25' East 421.11 feet to a point on the North line of the said Southeast one-quarter, said point being 749.85 feet from the said Northwest Corner; thence North 89°04' East 100.89 feet along the said North line; thence South 00°56' East 601.24 feet; thence South 89°04' West 449.81 feet along a line that is parallel with the said North line of the Southeast one-quarter; thence South 01°33' East 137.00 feet along a line that is parallel with the said West line of the Southeast one-quarter; thence South 89°04' West 33.00 feet to the said West line of the Southeast one-quarter of Section 35; thence North 01°33' West 654.30 feet to the point of beginning.

Cualer Hydro Project-Parcel Numbers CA-368, CA-369

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest one-quarter of the Southeast one-quarter of Section 15, Township 12 North, Range 1 West, Salt Lake Meridian, described as follows: Beginning at the Southeast Corner of the said Northwest one-quarter of the Southeast one-quarter of Section 15 and

and operated; thence South 84°50'15" East 98.66 feet along said Northern boundary line; thence North 07°16'08" East 396.07 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-373

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest One-Quarter of the Southwest One-Quarter of Section 10. Township 12 North, Range 1 West, Salt Lake Meridian, being described as follows:

Beginning on a Northerly boundary corner of the tract of land conveyed herein, said Corner being South 01°23'42" East (Basis of Bearing) 650.0 feet along the West line of the said Southwest One-Quarter, and North 67°18'14" East 139.01 feet from the Northwest Corner of the Southwest One-Quarter of said Section 10 and running thence North 54°57'14" East 288.06 feet; thence South 35°02'46" East 75.00 feet; thence South 69°32'51" West 297.67 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-374

Lands in CACHE County, State of UTAH

A tract of land situate in the Southwest One-Quarter of the Northeast One-Quarter of Section 4, Township 11 North, Range 1 West, Salt Lake Meridian, said tract being a part of Lot 6, Block 32, Plat "A" MENDON FARM SURVEY, described as follows: Beginning on the Quarter Section Line at a point Southerly 28.98 chains from the North One-Quarter of said Section 4 and running thence South 88°30' East 137.98 feet; thence South 10°53' East 376.3 feet; thence South 48°09' West 281.31 feet to the said Quarter Section Line; thence Northerly 555.25 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-375

Lands in CACHE County, State of UTAH

Part of the South one-half of Section 16, Township 12 North, Range 1 West, Salt Lake Base and Meridian, described as follows: Beginning at a point North 0°39' West 1234.9 feet from the Southeast Corner of said Section 16; thence running North 0°39' West 1405.1 feet to the East Quarter Corner of said Section 16; thence South 89°29' West 3101.64 feet; thence South 0°39' East 1400 feet; thence South 89°34' East 3101.64 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-376

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest one-quarter of the Southwest one-quarter of Section 14, Township 12 North, Range 1 West, Salt Lake Meridian being described as follows: Beginning at the West quarter-corner of said Section 14, Township 12 North, Range 1 West, Salt Lake Meridian and running thence Southerly along the Section line 981.26 feet to the Southern boundary line of the tract conveyed herein, said point being Northerly 1654.8 feet from the Southwest Corner of said Section 14; thence Easterly 50.00 feet along said Southern boundary line; thence Northerly 983.92 feet to the Quarter-section line; thence Westerly 50.00 feet along said quarter-section line to the point of beginning.

Cutler Hydro Project—Parcel Numbers CA-381; CA-401

Lands in CACHE County, State of UTAH

A tract of land situate in the West one-half of the Northeast one-quarter of Section 4, Township 11 North, Range 1 West, Salt Lake Base and Meridian, said tract also being a part of Lot 6, Block 32, Plat "A", MENDON FARM SURVEY, described as follows: Beginning on the Quarter-section line at a point 18.98 chains South from the North Quarter-section corner of said Section 4 and running thence East 419.2 feet; thence South 31°38' West 541.7 feet; thence South 2°25' West 142.8 feet; thence South 10°53' East 50.0 feet; thence North 88°30' West 138.0 feet to the said quarter section line; thence North 10 chains to the point of beginning; also

A tract of land situate in the Northwest one-quarter of the Northeast one-quarter of Section 4, said tract being that portion between Lot 6, Block 32 and Lot 3, Block 37, Plat "A", MENDON FARM SURVEY, described as follows: Beginning on the quarter-section line at a point 1180.74 feet South from the North quarter-section corner of said Section 4 and running thence South 88 "30" East 419.3 feet; thence South 66.0 feet; thence West 419.2 feet to the said quarter-section line, said point being 18.98 chains South of the said North quarter-section corner; thence North 71.94 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-382

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest one-quarter of the Southwest one-quarter of Section 36, T. 12N., R. 1W., S.L.M., said tract being a portion of Lot 29, of the State Land Survey for said Section 36, according to the official plat thereof as filed in the office of the Cache County Reforder on May 3, 1898 as Entry No. 17896 and being described as follows: Beginning at a point Easterly 33.0 feet along the North line of said Southwest one-quarter and South 1°32' East 130.0 feet from the West one-quarter corner of said Section 36 and running thence South 64°21' East 38.0 feet; thence North 88°26' East 437.1 feet; thence South 34°58' West 653.2 feet; thence South 0°14' East 251.27 feet; thence North 26°C4'31" West 184.57 feet; thence North 1°32' West (basis of bearing) 625.49 feet along a line that is parallel with and 33.0 feet perpendicularly distant Easterly from the West line of said Southwest one-quarter to the point of beginning.

Cutler Hydro Project-Parcel Numbers CA-383, CA-384, CA-385, CA-386 and CA-387

Lands in CACHE County, State of UTAH

A parcel of land situate in the N½ of Section 15 and the NE½ of Section 16, T. 12N., R. 1W., S.L.M., more particularly described as follows: Commencing at the point of intersection of the north-south center line of said Section 16 with the center line of the abandoned main track of the Benson Branch of the Oregon Short Line Railroad Company, as formerly constructed and operated, said point being 1245.0 feet north of the center of said Section 16; thence along said center line of the abandoned main track, S.85°03′E. a distance of 1115.5 feet to a point that is the northeast corner of that third described parcel of land conveyed by the Union Pacific Railroad Company to Herschel Bullen by Quitclaim Deed dated November 27, 1944, U.P.R.R. Co., L.S.D.A. 1359, said point being the true point of beginning; thence continuing along said center line of the abandoned main track, S.85°03′E. a distance of 210.5 feet to a point on the east line of the SW¼NE¾ of said Section 16; thence along said east line of the SW½NE¾ of Section 16, N.0°22′30°W. a distance of 50.22 feet to a point that is 50.0 feet distant northerly, measured at right angles, from said center line of the abandoned main track; thence along a line parallel with and 50.0 feet distant northerly, measured at right angles, from said center line of the abandoned main track; thence along a line parallel with and 50.0 feet distant northerly, measured at right angles, from said center line of the abandoned main track; thence along a line parallel with and 50.0 feet distant northerly, measured at right angles, from said center line of the abandoned main track; thence along a line parallel with and 50.0 feet distant northerly, measured at right angles, from said center line of the abandoned main track; thence along a line parallel with and 50.0 feet distant northerly, measured at right angles to the last described

Beginning at a boundary corner that is South 89°53′59′ West (Basis of Bearing) 931.08 feet and South 60°21′54″ East 1868.19 feet from a Cache County Monument marking the Northeast Corner of said Section 30 (said corner also being described as being 14.111 chains West and 28.235 chains South from said Northeast Corner of Section 30 as per Warranty Deed recorded in Book 62 of Deeds, Pages 88-89, Cache County Recorder) and running thence North 60°21′54″ West 117.63 feet (North 117.6 feet, by record) thence South 84°49′19″ West 108.48 feet (South 85°16′ West 109 feet, by record); thence North 60°21′58″ West 282.29 feet; thence South 37°25′04″ East 346.31 feet; thence North 65°29′33″ East 193.17 feet; thence South 35°36′38″ East 238.82 feet; thence South 89°51′25″ West 414.67 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-424

Lands in CACHE County, State of UTAH

A tract of land situate in the Northwest One-Quarter of the Northeast One-Quarter of Section 30, Township 13 North, Range 1 West, Salt Lake Meridian being described as follows: Beginning at a boundary corner that is South 89*53'59" West (Basis of Bearing) 1600.07 Feet and South 00*22'22" East 777.66 feet from a Cache County Monument marking the Northeast Corner of Section 30 (said corner also being described as being 63 rods West, 47 rods South and 34 rods West from said Northeast Corner of Section 30 as per Warranty Deed recorded in Book 736, Page 441, Cache County Recorder) and running thence North 89°52'55" East 30.25 feet along the South boundary line; thence North 37°25'04" West 50.21 feet to the West boundary line; thence South 00°22'22" East 39.94 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-425

Lands in CACHE County, State of UTAH

Parcel 1: A tract of land situate in the Northeast one-quarter of Section 27, Township 13 North, Range 1 West, Salt Lake Meridian being described as follows: Beginning at a point South 00°42'49" East along the Section line (Basis of Bearing) 1168.4 feet and North 76°15' West 517.94 feet (518.3 feet by record) from the East one-quarter Corner of said Section 27, and running thence South 76°15' East 218.47 feet; thence South 52°59'30" West 274.69 feet; thence North 01°53' East 217.39 feet to the point of beginning.

Parcel 2: A tract of land situate in the Southwest one-quarter of the Southeast one-quarter of Section 27, Township 13 North, Range 1 West, Salt Lake Meridian, beging described as follows: Beginning on the Northeasterly right-of-way line of a Cache County Road at a point North 89°12'26' East along the Section line (Basis of Bearing) 261.7 feet and North 45°29' East 66.64 feet from the South one-quarter Corner of said Section 27, and running thence North 45°29' East 449.20 feet; thence North 57°12' East 668.54 feet (669.0 feet, by record); thence South 52°29' 42" West 1112.12 feet to the point of beginning.

Cutler Hydro Project-Parcel Number CA-426

Lands in CACHE County, State of UTAH

Beginning at the Southwest Corner of Section 28, Township 13 North, Range 1 West, Salt Lake Meridian, and running thence North 00°21'09" East 205.10 feet along the West line of said Section 28; thence South 87°24'26" East 1328.03 feet to a point on the East line of the Southwest One-quarter of the Southwest One-quarter of said Section 28; thence South 53°59'54" East 211.29 feet to the South line of said Section 28; thence South 89°12'15" West (basis of bearing) 1499.06 feet to the point of beginning.

300x 185 PAGE 92

New Enoch Substation-Purcel Number 1R-043

Lands in IRON County, State of UTAH

A parcel of land being in the NW% of the NE% of Section 18, Township 35 South, Range 10 West, Salt Lake Base and Meridian, described as follows: Beginning at a point that is S.52°46′44″E. 671.7 feet from the North Quarter Corner of said Section 18, thence S.0°01′06″W. 180.0 feet; thence S.89°58′54″E. 180.0 feet; thence N.0°01′06″E. 180.0 feet; thence N.89°58′54″W. 180.0 feet to the point of beginning.

Morgan Substation Additional Lands -- Parcel Number MG-003

Lands in MORGAN County, State of UTAH

A tract of land in the NW% of the NE% of Section 35, T. 4N., R. 2E., S.L.M., in Morgan City, described as follows: Beginning at the southwest corner of the tract of land conveyed herein 478.59 feet south and 485.88 feet east from the north one quarter corner of said Section 35, running thence N.69°15′W. 210 feet, more or less, along the southwesterly boundary line to the most westerly corner of said land, said southwesterly boundary line also being the northeasterly right of way line of a conveyed herein to the northwest corner of said land, thence S.84°00′E. 320.94 feet along the northerly boundary line; thence S.22°30′W. 220.61 feet; thence N.69°22′W. 90.70 feet, thence S.20°38′W. 100 feet, to the point of beginning.

New Jordan Substation Additional Lands—Parcels Numbers SL-824, SL-825, SL 843, SL-844 and SL-845

Lands in SALT LAKE County, State of UTAH

The North one (1) rod of Lot Twelve (12) Block One (1) and the North one (1) rod of Lots Twelve (12) and Thirteen (13) of Block Two (2) of the Jones Subdivision of Block Fifty-four (54) Plat "C", Salt Lake City Survey; also

Reginning at the Northwest corner of Block Fifty-four (54) Plat "C", Salt Lake City Survey, and running thence South One (1) rod; thence West two-hundred eighty-five (285) feet, more or less, to the East bank of the Jordan River, thence North one (1) rod, along said East bank, thence East two-hundred eighty-five (285) feet, more or less, to the point of beginning, and being a portion of a vacated road known and designated as 1200 West Street and in the Northwest Quarter of the Northwest Quarter of Section 2, Township 1 South, Range 1 West, Salt Lake Base and Meridian; also

Beginning at the Northwest corner of Lot Twelve (12) Block One (1) of the Jones Subdivision, Block Fifty-four (54), Plat "C", Salt Lake City Survey, said Northwest corner also being 131 feet South and 1591 feet East, more or less, from the Northwest corner of Section 2, Township 1 South, Range 1 West, Salt Lake Base and Meridian, and running thence South 16.5 feet, along the West lot line of said Lot 12, thence West 66 feet to the East line of Lot 13, Block 2, Jones Subdivision, Block 54, Plat "C", beginning, being within a vacated road known and designated as Glendale Street, in the Northeast Quarter of the Northwest Quarter of said Section 2; also

Beginning at the Northwest corner of Lot Twelve (12), Block Two (2) of the Jones Subdivision, Block Fifty-four (54), Plat "C", Salt Lake City Survey, said Northwest corner also being 131 feet South and 1261 feet East, more or less, from the Northwest corner of Section 2, Township 1 South, Range 1 West, Salt Lake Base and Meridian, and running thence West 284.8 feet, more or less, to the East bank of the Jordan River, thence North 4 feet, more or less, along said East bank, thence South 89°41'35" East 746.8 feet, more or less, to a point on the North boundary line of said Jones

land, thence N.13°46'W. 463.6 feet, more or less, along a line which is parallel to and 25 feet perpendicularly distant northeasterly from a power line on said land to said north boundary line, thence N.89°27'04"W. 40.7 feet, more or less, along said north boundary line to the point of beginning.

Allaview-90th South 138 kV Line-Parcel Number SL-832

Lands in SALT LAKE County, State of UTAH

A tract of land situate in the E½ of the NW¼ of Section 13, T. 3S., R. 1W., S.L.M., described as follows: Beginning at the northwest corner of the tract of land conveyed herein at a point 1310 feet south and 507 feet west, more or less, from the north one quarter corner of said Section 13, thence S.13°46′E. 25.8 feet, more or less, along the west boundary line to the southwest corner of said land, thence N.89°55′57′E. 40.4 feet, more or less, along the south boundary line, thence N.13°46′W. 25.9 feet, more or less, along a line which is parallel to and 25 feet perpendicularly distant northcasterly from a power line on said land to the north boundary line of the land, thence N.89°53′W. 40.1 feet, more or less, along said north boundary line to the point of beginning.

Altaview-90th South 138 kV Line-Parcel Number SL-833

Lands in SALT LAKE County, State of UTAH

A tract of land situate in the NE¼ of the NW¼ of Section 13, T. 3S., R. 1W., S.L.M., described as follows: Beginning at the northwest corner of the tract of land conveyed herein at a point S.0°54′50′W. 440 feet and N.89°27′04′W. 715.16 feet, more or less, from the north one quarter corner of said Section 13, thence S.13°46′24′E. 372.4 feet, more or less, along the west boundary line to the southwest corner of said land, thence S.89°26′41′E. 40.2 feet, more or less, along the south boundary line of said land, thence N.13°46′W. 372.4 feet, more or less, along a line which is parallel to and 25 feet perpendicularly distant northeasterly from a proposed power line on said land to the north boundary line of said land, thence N.89°27′04′W. 40.2 feet, more or less, along said north boundary line to the point of beginning.

Altaview-90th South 138 kV Line-Parcel Number SL-834

Lands in SALT LAKE County, State of UTAH

A tract of land situate in the Northeast Quarter of the Northwest Quarter of Section 13, T. 3S., R. 1W., S.L.M., described as follows: Beginning at the Northwest corner of the tract of land conveyed herein at a point South 0°54′50″ West 800.93 feet and North 89°27′04″ West 620.75 feet, more or less, from the North quarter corner of said Section 13, thence South 13°48′21″ East 66.9 feet along the West boundary line to the Southwest corner of said land, thence South 89°27′04″ East 40.6 feet, more or less, along the South boundary line of said land; thence North 13°46′ West 67 feet, more or less, along a line which is parallel to and 25 feet perpendicularly distant Northeasterly from a power line on said land, to the North boundary line of said land; thence North 89°27′04″ West 40.7 feet, more or less, along said North boundary line to the point of beginning.

90th South-Terminal 345 kV Line—Parcel Number SL-837

Lands SALT LAKE County, State of UTAH

Beginning at a point being N.0°02'04"W. 736.19 feet and S.66°24'54"E. 306.32 feet and N.73°19'48"E. 1087.66 feet from the West quarter corner of Section 27, Township 1 South, Range 1 West, Salt Lake Base and Meridian, and running thence N.0°01'50"W. 139.15 feet to a point; thence N.89°56'21"E.

TRACT B:

Beginning at the southeast corner of Lot 1 in Block 12 of AGATE SUBDIVISION EXTENSION No. 2, in Jackson County, Oregon, according to the official plat thereof, now of record; thence North 89°56′50″ East, along the south line of said Subdivision, 500.10 feet; thence South 0°13′10″ West 657.10 feet to a ½″ iron pin; thence North 88°00′50″ West 500.42 feet to a ½″ iron pin; thence North 0°13′40″ East 639.29 feet to the point of beginning.

EXCEPTING FROM THE FOREGOING TRACTS that portion conveyed to the State of Oregon, (by and through its State Highway Commission) by deed recorded October 28, 1968, as No. 68-10634 of the Official Records of Jackson County, Oregon.

D-395 Item 3: Beginning at the southeast corner of South Forty Subdivision in Jackson County, Oregon, according to the official plat thereof, now of record; thence North 89°57'30' West 1260.0 feet to the west line of the Scutheast Quarter of the Northwest Quarter of Section 4 in Township 36 South, Range 2 West, Willamette Meridian thence south, along said west line, 450.0 feet to the southwest corner of said quarter-quarter; thence east, along the south line of said quarter-quarter 1260.0 feet to the west line of Wheeler Road; thence north, along said west line, 450.0 feet to the point of beginning.

D-395 Item 4: The West Half of the West Half of the Northwest Quarter of the Northeast Quarter of Section 5 in Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon.

D-395 item 5: Tract A: Tract 35, of Eleven-Eighty Orchard Tract in Jackson County, Oregon, according to the official plat thereof, now of record.

D-395 Item 6: The Southwest Quarter, the West Half of the Southeast Quarter, and Lots 3 and 4 of Section 35 in Township 36 South, Range 1 West of the Willamette Meridian in Jackson County,

D-395 Item 7: PARCEL I: Beginning at a ¾ galvanized iron pipe with a 2½ bronze cap located at the quarter corner common to Sections 4 and 9, Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon, thence along the north-south centerline of said Section 4, North 0°21′45. West, 660.00 feet, thence South 89°54′15. East, 330.00 feet, thence South 89°54′15. East, 974.46 feet to intersect the southwesterly boundary of tract described in Volume 57 page 80 of the Deed Records of said County, thence South 31°02′ East, 35.045 feet to the southwest corner of said tract, thence along the south boundary of said Section 4, North 89°54′15. West 1322.34 feet to the point of beginning.

PARCEL II: Beginning at a 1/4" galvanized iron pipe with a 21/2" bronze cap located at the quarter corner common to Sections 4 and 9, Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon, thence along the north-south centerline of said Section 4, North 0°21'45" West, 660.00 feet, thence South 89°54'15" East, 330.00 feet to the true point of beginning; thence South 0°21'45" East, 630.00 feet; thence South 89°54'15" East, 330.00 feet; thence North 0°21'45" West 630.00 feet, to a point South 89°54'15" East, from the true point of beginning; thence North 89°54'15" West, 330.00 feet to the true point of beginning.

PARCEL III: Beginning at a 4" galvanized iron pipe with a 2½" bronze cap located at the quarter corner common to Sections 4 and 9, Township 36 South, Range 2 West of the Willamette Meridian in Jackson County, Oregon, thence along the north-south centerline of said Section 4, North 0°21′45" West, 660.00 feet for the true point of beginning; thence South 89°54′15" East 330.00 feet; thence North 0°21′45" West to the north line of the Southwest Quarter of the Southeast Quarter; thence West 330.00 feet, to the centerline of Section 4, thence South 0°21′45" East, along said centerline to the true point of beginning.

along said curve an arc length of 92.53 feet (chord bears S.38°30'43°W. 90.96 feet); thence S.56°47'32'W, 390.63 feet to the beginning of a circular curve to the left having a radius of 980.0 feet and a delta angle of 19°39'52"; thence Southwesterly along said curve an arc length of 336.35 feet (chord bears S.46°57'36°W. 334.70 feet); thence S.37°07'40'W. 163.23 feet to the South boundary line of the Northwest ½ of the Southeast ½ of said Section 22; thence West 25.09 feet to the point of beginning; also

Beginning at a point which is South 935.66 feet and East 1314.91 feet from the center of Section 22, T. 16S., R. 7E., SLB&M; said point being at the beginning of a non-tangent circular curve to the right having a radius of 20.0 feet and a delta angle of 88'47'17'; thence Southeasterly along said curve an arc length of 30.99 feet (chord bears S.78'48'51'E. 27.98 feet); thence S.34'25'13'E. 18.40 feet to the beginning of a circular curve to the right having a radius of 20.0 feet and a delta angle of 84'25'16'; thence Southerly along said curve an arc length of 29.47 feet (chord bears S.7'47'25'' W. 26.87 feet); thence S.56'15'4i''W. 137.56 feet to the beginning of a non-tangent circular curve to the left having a radius of 25.0 feet and a delta angle of 90'00'00'; thence Southerly along said curve an arc length of 39.27 feet (chord bears S.5'00'02''W. 35.36 feet); thence S.39'59'53''E. 130.0 feet to the beginning of a non-tangent circular curve to the left having a radius of 25.0 feet and delta angle of 90'00'00', thence Southeasterly along said curve an arc length of 39.27 feet (chord bears S.84'59'53''E. 35.36 feet); thence N.56'35'23''E. 35.50 feet); thence N.56'35'23''E. 35.01 feet to the beginning of a non-tangent circular curve to the left having a radius of 60.0 feet and delta angle of 90'00'00', thence Northeasterly along said curve an arc length of 94.24 feet (chord bears N.5'00'02''E. 84.85 feet); thence N.46'08'41''W. 130.75 feet to the beginning of a non-tangent circular curve to the left having a radius of 46.0 feet and delta angle of 90'00'00'; thence Northwesterly along said curve an arc length of 72.26 feet (chord bears N.84'59'53''W. 65.05 feet); thence S.27'15'25''W. 93.12 feet to the beginning of a non-tangent circular curve to the right having a radius of 20.0 feet and a delta angle of 95'34'44'; thence Northwesterly along said curve an arc length of 33.36 feet (chord bears N.82'12'35''W. 9.63 feet); thence N.34'25'13''W. 8.90 feet to the beginning of a circular curve to the right having a rad

Park City Lands-Parcels Numbers SU-037 and SU-038

Lands in SUMMIT County, State of UTAH

Beginning at a point North 705.59 feet and West 656.54 feet from the Southwest Corner of the Southeast Quarter of the Northeast Quarter of Section 16, Township 2 South, Range 4 East, Salt Lake Base & Meridian, said point is also located N.35°59'W. 115.00 feet and N.54°01'00'E. 127.41 feet from the survey monument located at the intersection of Park Avenue and 9th Street; and running thence N.52°40'35'E. 38.49 feet; thence S.36°12'28'E. 27.33 feet; thence N.56°00'02'E. 59.38 feet; thence S.43°33'48'E. 23.44 feet to a point on a 155.00 foot radius curve to the left, whose radius point bears S.75°26'06'E.; thence along the arc of said curve 19.45 feet through a central angle of 7°11'28" to a point on a 302.00 foot radius curve to the left whose radius point bears S.17°27'17'E.; thence along the arc of said curve 37.59 feet through a central angle of 7°07'56' to a point on a 42.00 foot radius curve to the left, whose radius point bears S.24°35'13'E.; thence along the arc of said curve 74.50 feet through a central angle of 101°38'09" to a point on a 302.00 foot radius curve to the left, whose radius point bears N.53°46'38'E.; thence along the arc of said curve 27.95 feet through a central angle of 5°18'09" to a point of a 15.00 foot radius curve to the right, whose radius point bears S.48°28'30'W.; thence along the arc of said curve 7.79 feet through a central angle of 29°44'47'; thence S.58°45'01'W. 12.36 feet; thence N.26°46'00'W. 14.00 feet; thence N.29°53'00'W. 50.00 feet; thence N.32°16'00'W. 67.72 feet to the point of beginning; also

TO THE REAL

last said right-of-way line N.80°30'00'E. 199.148 feet; thence N.78°11'16'E. 173.521 feet along the South line of a widened portion of said Lake Park Boulevard; thence Northeasterly 63.735 feet along an 844.000 foot radius curve to the left (Delta = 04°19'36" and chord bears N.66°28'56'E. 63.720 feet) to the point of beginning.

Evanston Tech Ops Center-Parcel Number UY-013

Lands in UINTA County, State of WYOMING

Lot 3 in Block 2 of the Evanston Industrial Center Addition to the City of Evanston.

H-41-Roseburg Office/Service Center

In DOUGLAS County, State of OREGON:

H-41—Item 2: Commencing at the Northwest corner of the Charles Smith Donation Land Claim No. 43 in Section 11, Township 28 South, Range 6 West of the Willamette Meridian; thence South 33°47′44″ West 947.50 feet (record South 34°44′ West 952.7 feet) to the southeasterly corner of that tract described in Book 898, Page 177 of the Deed records of Douglas County, Oregon, said point being on the westerly boundary of the right of way of Pacific Highway 99, and from which a ¾ inch iron bolt bears North 75°32′ West 0.49 feet; thence North 14°28′29′ East (record North 15°39′ East) along said right of way boundary 391.13 feet to a ¾ inch diameter iron pin for the true POINT OF BEGINNING; thence continuing along said westerly right of way boundary, North 14°28′29′ East 643.12 feet to a ¾ inch diameter iron pin at the northeast corner of said described tract; thence leaving said westerly right of way boundary, North 75°36′08″ West 412.53 feet (record North 74°21′ West 413.1 feet) to the northwest corner of said described tract, being on the easterly boundary of the Southern Pacific Railroad lands; thence South 15°47′48″ West along said easterly boundary 352.34 feet; thence south 74°12′12′ East 30.00 feet to a ¾ inch diameter iron pin; thence continuing along said easterly boundary, South 15°47′48″ West 290.23 feet to a ¾ inch diameter iron pin; thence leaving said easterly boundary South 75°36′08″ East 397.37 feet to the point of beginning.

H-49-Classop Service Center

In CLATSOP County, State of OREGON:

H-49-Item: Tract 11; Rodney Acres, in the City of Warrenton.

H-50-Addition to Grants Pass Service Center

In JOSEPHINE County, State of OREGON:

H-50—Item: A tract of land situated in the Southeast Quarter of Section 19, Township 36 South, Range 5 West, of Willamette Meridian, described as follows: Beginning at a point which is 1755 feet North and 1302 feet East of the South Quarter corner of said Section, said point being on the West boundary of the county road; thence North 106 feet, more or less, to the Southeast corner of a parcel of land conveyed to the Union Oil Company, by deed recorded in Deed Book 54, at page 454; thence West 203 feet to the center of irrigation ditch; thence South 10°20'00" East along the center of said ditch, 107.64 feet to a point West of the point of beginning; thence East 184 feet to the point of beginning; except that portion lying within relocated 6th Street as described in Final Order in Case No. 77-557L, Josephine County Court Records.

be signed and sealed by one of its Vice Presidents or one of its Assistant Vice Presidents, and its corporate seal to be attested to by one of its Senior Trust Officers, all as of the day and year first above written.

Attest:

LENORE M. MARTIN Assistant Secretary

[SEAL]

PACIFICORP

Зу

WILLIAM E. PERESSINI Vice President and Treasurer

THE CHASE MANHATTAN BANK as Trustee

Ru

GLENN G. MCKEEVER
Vice President

LO'BRIEN
Senior Trust Officer