136823

BOOK 194 PAGE 954

Dan Thintington

222 PH 193

Dartel

AFTER RECORDING MAIL TO:

Name Jack Collins

Address PO Box 348

City/State Washougal WA 98671

QUIT CLAIM DEED

(Boundary Line Adjustments)

THE GRANTOR

Collins Living Trust, by and through Jack Collins and Irma Collins, Trustees.

for and in consideration of

Lot Line Adjustment

Conveys and quit claims to

Collins Living Trust, by and through Jack Collins and Irma Collins, Trustees.

the following described tract of land, situated in the county of Skamania, State of Washington, together with all after acquired title of the grantor therein:

Following See Attached Exhibits "A." "B." and "C." on pages 2, 3, and 4

E2 of E2 of SEt of NWW and the Why of the E4 serious TIN, RSE WM.

The purpose of this deed is to affect boundary line adjustments among adjoining parcels of land owned by Grantor; it is not intended to create a separate parcel or parcels, and is therefore exempt from the requirements of RCW 58.17 and Skamania County Short Plat Ordinance. The properties described in this deed cannot be aggregated and sold without conforming to the State of Washington and Skamania County

Tax Assessor's ID #01-05-09-0-0-0612-00, 01-05-09-0-0-0623-00, and

Dated this 20th day of September 1999

Chinese ESTATE EXCISE TAXMA

Sate of Washington

County of Clark }

PAID example On this day personally appeared before the

to me known to be the individual Collection and who executed the within and foregoing instrument, and acknowledged that John + I cano colling signed as same as their free and voluntary act and deed, for

GIVEN under my hand and official seal this

20 day of Suptember, 1999

Notary Proplic in and for the State of Washington,

Transaction in compliance w Skamania County By: MJM 11-2-99

ROOK 194 PAGE 957

COLLINS BOUNDARY ADJUSTMENT EXHIBIT "A"

BOUNDARY ADJUSTED TAX LOT 612:

A portion of the East half of the East half of the Southeast quarter of the Northwest quarter and the Southwest quarter of the Northeast quarter of Section 9, Township 1 North, Range 5 East, Willamette Meridian, Skamania County, Washington, described as follows:

BEGINNING at a 1 inch iron pipe with brass cap at the center of Section 9 (as established in a 1998 "Hagedorn, Inc. Survey") and at the position shown in Volume 3 of Surveys, page 111, Skamania County Auditor's Records; thence North 00° 26' 39' East, along the East line of the Northwest quarter of Section 9, for a distance of 490.00 feet to a 5/8 inch iron rod (1998 "Hagedorn, Inc. survey"); thence North 88° 49' 19" West, 50.24 feet to a 5/8 inch iron rod;

North 00° 26' 48" East, 93.38 to a 5/8 inch iron rod; North 02° 39' 42" East, 185.92 feet to a 5/8 inch iron rod; North 49° 12' 10" East, 56.95 feet to a 5/8 inch iron rod; North 68° 09' 21" East; 134.62 feet to a 5/8 inch iron rod; North 71° 05' 49" East, 213.48 feet to a 5/8 inch iron rod; North 77° 23' 16" East, 127.36 feet to a 5/8 inch iron rod; North 71° 06' 43" East, 127.06 feet to a 5/8 inch iron rod; North 61° 07' 56" East, 91.43 feet to a 5/8 inch iron rod; North 89° 38' 00" East, 94.94 feet to 8 5/8 inch iron rod; North 64° 23' 07" East, 82.78 feet to a 5/8 inch iron rod; North 44° 54' 00" East, 99.19 feet to a 5/8 inch iron rod; North 87° 17' 40" East, 85.10 feet to a 5/8 inch iron rod; Thence North 14° 33' 19" East, 74.87 feet to a 5/8 inch iron rod on the North line of the Southwest quarter of the Northeast quarter of Section (the preceding 15 [fifteen] 5/8 inch iron rods were set in a 1998 "Hagedorn, Inc. survey); thence South 89° 52" 19" East, 335.00 feet to the Northeast corner of the Southwest quarter of the Northeast quarter of Section 9 as shown in Survey 3-111; thence South 00° 45' 10" West, 1294.65 feet to the Southeast corner of the Southwest quarter of the Northeast quarter of Section 9; thence North 89° 30' 26" West, 1306.56 feet to the POINT OF BEGINNING.

EXCEPT County Roads.

SUBJECT TO easements and restrictions of record.

BOOK 194 PAGE 958

COLLINS BOUNDARY ADJUSTMENT EXHIBIT "B"

BOUNDARY ADJUSTED LOT 1. SHORT PLAT 2-192:

A portion of the East half of the East half of the Southeast quarter of the Northwest quarter of Section 9, Township 1 North, Range 5 East, Willamette Meridian, Skamania County, Washington, described as follows:

BEGINNING at a 1 inch iron pipe with brass cap at the center of Section 9 (as established in a 1998 "Hagedorn, Inc. Survey") and at the position shown in Volume 3 of Surveys, page 111, Skamania County Auditor's Records; thence North 89° 30′ 01" West, along the South line of the Northwest quarter of Section 9 for a distance of 299.99 feet; thence North 00° 26′ 39′ East, 414.00 feet to a 5/8 inch iron rod (1998 "Hagedorn, Inc. Survey"); thence North 73° 26′ 47" East, 261.19 feet to a 5/8 inch iron rod (1998 "Hagedorn, Inc. Survey"); thence South 88° 49′ 19″ East, 50.24 feet to a 5/8 inch iron rod (1998 "Hagedorn, Inc. Survey") on the East line of the Northwest quarter of Section 9; thence South 00° 26′ 48" West, 490.00 feet to the POINT OF BEGINNING.

EXCEPT County Roads.

SUBJECT TO easements and restrictions of record.

BOOK 194 PAGE 959

COLLINS BOUNDARY ADJUSTMENT EXHIBIT "C"

BOUNDARY ADJUSTED LOT 2, SHORT PLAT 2-192:

A portion of the East half of the East half of the Southeast quarter of the Northwest quarter and the Southwest quarter of the Northeast quarter of Section 9, Township 1 North, Range 5 East, Willamette Meridian, Skamenia County, Washington, described as follows:

BEGINNING at a 1 inch iron pipe with brass cap at the center of Section 9 (as established in a 1998 "Hagedorn, Inc. Survey") and at the position shown in Volume 3 of Surveys, page 111, Skamania County Auditor's Records; thence North 89° 30' 01" West, along the South line of the Northwest quarter of Section 9 for a distance of 299.99 feet to the TRUE POINT OF BEGINNING; thence North 00° 26' 39' Esst, 414.00 feet to a 5/8 Inch iron rod (1998 "Hagedorn, Inc. survey"); thence North 73° 28' 47" East, 261.19 feet to a 5/8 inch iron rod; thence sleng the following courses:

North 00° 26' 48" East, 93 38 to a 5/8 Inch Iron rod; North 02° 39" 42" East, 185.92 feet to a 5/8 Inch iron rod; North 49° 12' 10" East, 58.95 feet to a 8/8 Inch Iron rod; North 68° 09" 21" East, 134.62 feet to a 5/8 Inch Iron rod; North 71° 05' 49" East, 213.46 feet to a 5/8 inch fron rod; North 77° 23' 16" East, 127.36 feet to a 5/8 inch iron rod; North 71° 06' 43" East, 127.06 feet to a 5/8 inch iron rod; North 61° 07' 56" East, 91.43 feet to a 5/8 inch iron rod; North 69° 38' 00" East, 94.94 feet to a 5/8 inch iron rod; North 64° 23' 07" East, 82.78 feet to a 5/8 inch iron fod; North 44° 54' 00" East, 99.19 feet to a 5/8 Inch iron rod; North 87° 17' 40" East, 85.10 feet to a 5/8 inch iron rod;

Thence North 14° 33' 19" East, 74.87 feet to a 5/8 Inch Iron red on the North line of the Southwest quarter of the Northeast quarter of Section 9 at a point that is North 89° 52' 19" West, 335.00 feet from the Northeast corner thereof (the preceding 15 [fifteen] 5/8 inch fron rods were set in a 1998 "Hagedorn, Inc. survey); thence North 89° 52' 19" West, 978.50 feet to the Northwest corner of the Southwest quarter of the Northeast quarter of Section 9 as shown in Survey 3-111; thence North 89° 51' 28" West, along the North line of the Southeast quarter of the Northwest quarter of Section 9, for a distance of 31 feet, more or less, to the Southerly right-of-way line of Mt. Pleasant Road as shown in CRP No. 77-41R and described in Book 74 of Deeds, page 477, Skamania County Auditor's Records; thence Southwesterly and Westerly, along said South right-of-way line, 349 feet, more or less, to the West line of the East half of the East half of the Southeast quarter of the Northwest quarter of Section 9; thence South 00° 28' 39" West, 1151 feet, more or less, to the Southwest corner of the East half of the East half of the Southeast querter of the Northwest quarter; thence South 89° 30' 01" East, 30.00 feet to the TRUE POINT OF BEGINNING.

EXCEPT County Roads.

SUBJECT TO easements and restrictions of record.