

143447

BOOK 219 PAGE 326

FILED FOR RECORD
SKAMIA
BY Bullivant Houser Bailey

JAN 16 1 23 PM '02

Q. Lowry
REGISTER

J. Michael Garvison

AFTER RECORDING, RETURN TO:

BULLIVANT

HOUSER

BAILEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW

Steven C. Andersen
Attorney at Law
300 First Independent Place
1220 Main Street
Vancouver, WA 98660-2962
360-693-2424

CLAIM OF LIEN

Reference Number(s):

Grantor(s):

Grantee(s):

Additional Names at Page(s):

Legal Description:

Tax Parcel Number:

Skamania OPCO, LLC

William Stanley & Sons Paving

Ptn. Sec. 2, T2N, R7E

02-07-02-0-0-0612-00; 02-07-02-0-0-0611-00;
92-010340

William Stanley & Sons Paving
claimant,

vs.

Thompson Bros. Excavating, Inc.
name of person indebted to claimant:

Registered
Recorded in
Index
Filed
Date

Notice is hereby given that the person named below claims a lien pursuant to *chapter 64.04 RCW. In support of this lien the following information is submitted:

1. NAME OF LIEN CLAIMANT: William Stanley & Sons Paving
TELEPHONE NUMBER: (503) 243-1274
ADDRESS: PO Box 2010, Gresham, OR 97030

2. DATE ON WHICH THE CLAIMANT BEGAN TO PERFORM LABOR, PROVIDE PROFESSIONAL SERVICES, SUPPLY MATERIAL OR EQUIPMENT OR THE DATE ON WHICH EMPLOYEE BENEFIT CONTRIBUTIONS BECAME DUE:

October 26, 2001

3. NAME OF PERSON INDEBTED TO THE CLAIMANT:

Thompson Bros. Excavating, Inc.

4. DESCRIPTION OF THE PROPERTY AGAINST WHICH A LIEN IS CLAIMED (street address, legal description or other information that will reasonably describe the property):

Commonly known as Skamania Lodge, legally described on attached
Exhibit "A"

5. NAME OF THE OWNER OR REPUTED OWNER (If not known state "unknown"):

Skamania OPCO, LLC

6. THE LAST DATE ON WHICH LABOR WAS PERFORMED; PROFESSIONAL SERVICES WERE FURNISHED; CONTRIBUTIONS TO AN EMPLOYEE BENEFIT PLAN WERE DUE; OR MATERIAL, OR EQUIPMENT WAS FURNISHED:

October 26, 2001

7. PRINCIPAL AMOUNT FOR WHICH THE LIEN IS CLAIMED IS:

\$ 7,900.00

8. IF THE CLAIMANT IS THE ASSIGNEE OF THIS CLAIM, SO STATE HERE:

N/A

William Stanley & Sons Paving, Claimant
PO Box 2010, Gresham, OR 97030
(503) 243-1274
(Phone number, address, city, and state of claimant)

STATE OF OREGON)

County of Multnomah)

) ss.

William Stanley, being sworn, says: I am the claimant (or attorney of the claimant, or administrator, representative, or agent of the trustees of an employee benefit plan) above named; I have read or heard the foregoing claim, read and know the contents thereof, and believe the same to be true and correct and that the claim of lien is not frivolous and is made with reasonable cause, and is not clearly excessive under penalty of perjury.

William Stanley
WILLIAM STANLEY

Subscribed and sworn to before me this 4th day of January, 2003

Cynthia E. Hauge
NOTARY PUBLIC in and for the State of Oregon.
My Commission Expires: _____



BOOK 219 PAGE 329

BOOK 206 PAGE 839

EXHIBIT A

Parcel 1:

The real property legally described as "Parcel 1" attached hereto and made a part hereof;
and

Parcel 2:

A permanent, irrevocable easement, running with the land for the benefit of Parcel 1 described above, to use the surface and portion of the subsurface to a depth of five (5) feet of the real property described as "Parcel 2" attached hereto and made a part hereof, as is required solely for the continued and future operation of a golf course, and uses incidental to the operation of the Skamania Lodge.

Parcel 1

Being a tract of land out of portions of Government Lots 2 and 3, in the D. Baughman Donation land claim and F. Iman donation land claim, in Section 2, Township 2 North, Range 7 East of the Willamette Meridian, in the County of Skamania, State of Washington and being more particularly described as follows:

Beginning at a 1/2 inch iron rod on the West line of the Baughman D.L.C., said rod being South 00°50'59" West 1,935.30 feet from a brass cap marking the Northwest corner of the Baughman D.L.C.; thence leaving said West line North 57°31'40" West 1,839.91 feet to a 1/2 inch iron pipe; thence South 59°00'13" West 396.02 feet to a 5/8 inch iron rod; thence North 78°38'44" West 97.60 feet to a 5/8 inch iron rod; thence North 35°28'44" West 122.60 feet to a 5/8 inch iron rod; thence North 59°43'41" West 216.00 feet to a 5/2 inch iron rod; thence North 65°46'40" West 919.35 feet to a 5/8 inch iron rod on the Southeasterly line of the BPA right of way; thence along said right of way North 40°21'00" East 2,004.39 feet to a 5/8 inch iron rod; thence leaving said right of way South 21°52'06" East 221.63 feet to a 3/4 inch iron pipe; thence South 89°53'16" East 104.76 feet to a 3/4 inch iron pipe; thence North 45°07'04" East 121.54 feet to a 5/8 inch iron rod; thence North 01°32'31" East 0.58 feet to a point; thence South 22°51'56" East 133.67 feet to a 5/8 inch iron rod; thence South 34°22'53" East 377.84 feet to a 5/8 inch iron rod; thence South 65°26'35" East 236.37 feet to a 5/8 inch iron rod thence South 13°10'46" West 117.78 feet to a 5/8 inch iron rod; thence South 71°56'35" East 207.62 feet to a 5/8 inch iron rod; thence North 13°10'46" East 194.93 feet to a 5/8 inch iron rod; thence South 72°56'35" East 72.19 feet to a 5/8 inch iron rod; thence South 53°51'59" East 476.72 feet to a 5/8 inch iron rod; thence South 75°24'01" East 132.00 feet to a 5/8 inch iron rod; thence South 89°09'01" East 74.00 feet to a 5/8 inch iron rod; thence South 00°50'59" West 132.00 feet to a 5/8 inch iron rod; thence South 89°09'03" East 180.29 feet to a 5/8 inch iron rod on the Southwesterly right of way of Foster Creek Road (40.00 foot right of way); thence along said right of way 260.65 feet along the arc of a 224.60 foot radius curve to the left, having a central angle of 66°29'28", the chord of which bears South 44°35'53" East, a distance of 246.26 feet to a 5/8 inch iron rod; thence South 77°50'37" East 114.61 feet to a 5/8 inch iron rod; thence 159.01 feet along the arc of a 420.80 foot radius curve to the right, having a central angle of 21°39'00", the chord of which bears South 67°01'07" East, a distance of 158.06 feet to a 5/8 inch iron rod; thence South 56°11'37" East 273.36 feet to a 5/8 inch iron rod; thence leaving said right of way South 46°53'56" West 373.47 feet to a Skamania County brass cap; thence South 62°28'04" East 785.01 feet to a 5/8 inch iron rod on said right of way of Foster Creek Road; thence along said right of way 73.63 feet along the arc of a 402.00 foot radius curve to the left, having a central angle of 10°30'04", the chord of which bears South 31°18'02" East, a distance of 73.57 feet to a 5/8 inch iron rod; thence South 79°54'00" West 261.00 feet; thence North 52°53'13" West 100.00 feet; thence South 60°32'24" West 90.00 feet; thence South 19°17'10" East 195.00 feet; thence South 21°51'54" East 137.00 feet; thence South 54°56'03" East 116.00 feet; thence North 83°40'11" East 272.30 feet to a point on the Westerly right of way line of Rock Creek Drive (variable width right of way); thence along said right of way South 08°32'58" West 98.52 feet to a point that bears South 17°15'33" West 0.56 feet from a concrete right of way monument; thence 413.67 feet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 14°56'02", the chord of which bears South 16°00'59" West, a distance of 412.50 feet to a 5/8 inch iron rod; thence North 66°31'00" West 20.00 feet to a 5/8 inch iron rod; thence 191.45 feet along the arc of a 1,557.10 foot radius curve to the right, having a central angle of 05°59'59", a chord of which bears South 26°58'59" West, a distance of 191.33 feet to a 5/8 inch iron rod; thence South 59°31'02" East 20.00 feet to a 5/8 inch iron rod; thence 62.63 feet along the arc of a 1,587.10 foot radius curve to the right, having a central angle of 02°15'40", the chord of which bears South 31°36'48" West, a distance of 62.63 feet to a 5/8 inch iron rod; thence North 56°03'57" West 8.39 feet to a point that bears North 50°38'42" West 0.70 feet from a concrete right of way monument;

CONTINUED

Page No. 2
Exhibit "A"

thence South 31°56'03" West 208.73 feet to a point that bears South 65°29'49" East 0.58 feet from a concrete right of way monument; thence North 56°03'57" West 60.00 feet to a point that bears North 35°49'26" West 0.57 feet from a concrete right of way monument; thence South 31°56'03" West 133.77 feet to a point that bears South 78°22'11" West 1.00 feet from a concrete right of way monument; thence South 56°03'57" East 5.47 feet to a 5/8 inch iron rod, said rod also marking the intersection of Second Street extension right of way and the Westerly right of way of Malicot Road (60.00 foot right of way); thence along said Malicot right of way South 56°27'19" West 46.44 feet to a 5/8 inch iron rod; thence 201.61 feet along the arc of a 256.70 foot radius curve to the right, having a central angle of 45°00'09", the chord of which bears South 78°57'19" West, 196.47 feet to a 5/8 inch iron rod; thence North 78°32'41" West 13.00 feet to a 5/8 inch iron rod; thence 186.92 feet along the arc of a 125.70 foot radius curve to the left, having a central angle of 85°12'00", the chord of which bears South 58°51'19" West, a distance of 170.17 feet to a 5/8 inch iron rod marking the point of compound curvature; thence 172.50 feet along the arc of a 173.40 foot radius curve to the left, having a central angle of 57°00'00", the chord of which bears South 12°14'41" East, a distance of 165.48 feet to a 5/8 inch iron rod marking the point of reverse curvature; thence 79.96 feet along the arc of a 65.70 foot radius curve to the right, having a central angle of 59°44'00", the chord of which bears South 05°52'41" East, a distance of 75.12 feet to a 5/8 inch iron rod; thence South 28°59'19" West 98.60 feet to a 5/8 inch iron rod; thence 65.70 feet along the arc of a 65.70 foot radius curve to the right, having a central angle of 57°18'00", the chord of which bears South 57°38'19" West, a distance of 63.00 feet to a 5/8 inch iron rod marking a point of reverse curvature; thence 254.56 feet along the arc of a 507.60 foot radius curve to the left, having a central angle of 28°44'00", the chord of which bears South 71°55'19" West a distance of 251.90 feet to a 5/8 inch iron rod marking a point of reverse curvature; thence 44.84 feet along the arc of a 160.80 foot radius curve to the right, having a central angle of 15°58'38", the chord of which bears South 65°32'38" West, a distance of 44.69 feet to a 1/2 inch iron rod on the West line of said Baughman D.L.C.; thence leaving said Malicot Road right of way along said West line of the Baughman D.L.C. North 00°50'59" East 1,237.41 feet to the Point of Beginning.

TOGETHER WITH the following described property:

A tract of land located in the D. Baughman donation land claim situated in Section 2, Township 2 North, Range 7 East of the Willamette Meridian, Skamania County, Washington, and being more particularly described as follows:

Commencing at a brass cap marking the Northwest corner of said D. Baughman D.L.C.; thence South 00°50'59" West, 3369.29 feet along the West line of said Baughman donation land claim to the point of beginning and said point being on the Northerly right of way line of State Highway No. 8; thence along said Northerly right of way the following courses and distances:

North 49°20'38" East, 225.03 to the beginning of a 2785.00 foot radius curve to the left having a central angle of 05°28'09"; thence along said curve to the left (the long chord of which bears North 46°36'33" East, 265.74 feet) 265.84 feet; thence South 46°07'31" East, 30.00 feet to the beginning of a 2815.00 foot radius curve to the left having a central angle of 05°23'51"; thence along said curve to the left (the long chord of which bears North 41°10'33" East, 265.09 feet) 265.19 feet; thence North 38°28'38" East 337.63 feet; thence leaving said Northerly R.O.W. North 56°03'57" West 46.84 feet to the Northerly right of way of vacated Malicot road; thence along said Northerly right of way the following courses and distances:

CONTINUED

000945

Page No. 3
Exhibit "A"

Along said Malicot right of way South 56°27'19" West 46.44 feet to a 5/8 inch iron rod and the beginning of a 256.70 foot radius curve to the right having a central angle of 45°00'00"; thence along said curve to the right (the long chord of which bears South 78°57'19" West, 196.47 feet) 201.61 feet to a 5/8 inch iron rod; thence North 78°32'41" West 13.00 feet to a 5/8 inch iron rod at the beginning of a 125.70 foot radius curve to the left, having a central angle of 85°12'00"; thence along said curve to the left (the long chord of which bears South 58°51'19" West, 170.17 feet) 186.92 feet to a 5/8 inch iron rod marking the point of compound curvature of a 173.40 foot radius curve to the left having a central angle of 57°00'00"; thence along said curve to the left (the long chord of which bears South 12°14'41" East, 165.48 feet) 172.50 feet to a 5/8 inch iron rod marking the point of a reverse curvature of a 65.70 foot radius curve to the right, having a central angle of 69°44'00"; thence along said curve to the right (the long chord of which bears South 05°52'41" East, 75.12 feet) 79.96 feet to a 5/8 inch iron rod; thence South 28°59'19" West 98.60 feet to a 5/8 inch iron rod at the beginning of a 65.70 foot radius curve to the right; having a central angle of 57°18'00"; thence along said curve to the right (the long chord of which bears South 57°38'19" West, 63.00 feet) 65.70 feet to a 5/8 inch iron rod at the beginning of a 507.60 foot radius of reverse curvature to the left having a central angle of 14°21'23"; thence along said curve to the left (the long chord of which bears South 79°06'37" East 126.86 feet) 127.19 feet to a point thence leaving said Northerly right of way South 18°04'04" East 60.00 feet to a point on the Southerly right of way of said Malicot road said point being the beginning of a 447.60 foot radius curve to the left having a central angle of 11°22'37"; thence along said Southerly right of way (the long chord of which bears South 64°44'37" West, 112.02 feet) 112.31 feet to a point at the beginning of a 220.80 foot radius of a reverse curvature to the right having a central angle of 20°46'29"; thence along said curve to the right (the long chord of which bears South 67°56'34" West, 79.62 feet) 80.06 feet to a point on the Westerly line of said Baughman D.L.C.; thence South 00°50'59" West, 134.54 feet to the Point of Beginning. Also described as Parcel III in Deed recorded in Book 158, Page 738.

EXCEPTING THEREFROM a tract of land located in the D. Baughman donation land claim situated in Section 2, Township 2 North Range 7 East of the Willamette Meridian, Skamania County, Washington, and being more particularly described as follows:

Beginning at a 1/2 inch iron rod on the West line of the Baughman D.L.C., said rod being South 00°50'59" West 1,935.30 feet from a brass cap marking the Northwest corner of the Baughman D.L.C.; thence North 70°07'20" East 232.20 feet; thence North 31°57'00" West 34.60 feet to the beginning of a 238.00 foot radius non-tangent curve to the left and the true Point of Beginning; thence along said non-tangent curve to the left 45.91 feet through a central angle of 11°03'04" (chord bears North 60°52'12" East 45.33 feet) to point of reverse curvature; thence along a 215.65 foot radius curve to the right 146.82 feet through a central angle of 38°28'36" (chord bears North 74°34'58" East 142.12 feet) to a point; thence South 86°10'44" East 96.69 feet to the beginning of a 238.00 foot radius curve to the left; thence along said curve to the left 133.25 feet through a central angle of 34°29'13" (chord bears North 76°34'39" East 141.00 feet); thence North 18°00'59" West 198.30 feet; thence North 40°31'12" West 256.43 feet; thence North 26°12'57" West 135.00 feet; thence South 73°39'53" West 126.26 feet; thence South 27°26'26" West 93.57 feet; thence South 62°33'34" East 20.26 feet; thence South 27°26'26" West 37.03 feet; thence South 00°02'58" West 93.59 feet; thence South 72°28'58" West 32.45 feet; thence South 17°31'02" East 168.85 feet; thence North 72°28'58" East 10.64 feet; thence South 17°31'02" East 71.54 feet; thence North 72°28'58" West 27.30 feet; thence South 17°31'02" East 84.14 feet; thence South 72°28'58" West 47.82 feet; thence South 17°31'02" East 46.24 feet; thence South 31°57'00" East 0.83 feet to the Point of Beginning.

BOOK 219 PAGE 333

BOOK 206 PAGE 543

Parcel 2

Being a tract of land in the D. Baughman donation land claim, in Section 2, Township 2 North, Range 7 East of the Willamette Meridian in the county of Skamania and State of Washington and being more particularly described as follows:

Commencing at a 5/8 inch iron rod at the southeast corner of that tract of land described in deed Book 108, Page 887, Skamania County deed records, said iron rod also being on the southerly right of way line of Foster Creek Road; thence along said right of way 73.68 feet along the arc of a 402.00 foot radius curve to the left, having a central angle of $10^{\circ}30'04''$, the chord of which bears South $31^{\circ}18'02''$ East, a distance of 73.57 feet to a 5/8 inch iron rod and the Point of Beginning; thence South $79^{\circ}54'00''$ West 261.00 feet; thence North $52^{\circ}53'13''$ West 100.00 feet; thence South $60^{\circ}32'24''$ West 90.00 feet; thence South $19^{\circ}17'10''$ East 195.00 feet; thence South $21^{\circ}51'54''$ East 137.00 feet; thence South $54^{\circ}56'03''$ East 116.00 feet; thence North $83^{\circ}40'11''$ East 272.30 feet to a point on the westerly right of way line of Rock Creek Road; thence along said right of way North $08^{\circ}32'58''$ East 274.00 feet to a 5/8 inch rod at the intersection of said westerly right of way and the southerly right of way of Foster Creek Road; thence along said southerly right of way 134.33 feet along the arc of a 402.00 foot radius curve to the right, having a central angle of $19^{\circ}08'46''$, the chord of which bears North $46^{\circ}07'27''$ West, a distance of 133.71 feet to a 5/8 inch iron rod; thence North $36^{\circ}33'04''$ West 17.29 feet to the Point of Beginning.

704047-0005/794497.1

Page 7