FILE TIM HENDERSON
FEB 4 3 35 PH '03
PLANTY
J. MICH.

Feturo Address:			
DM HENDON	RON & BOB BRANK	O CARLOS	b 16 /
PMA 206	20902 67 * AV	ZEVINKR.	
		Ne'	40. " #
BR LINGTON	1, W1 98223	CORRE	ction
NOTICE OF	LOCATION OF	N ACED OF THE	
		LACER CLAIM	
Reference of the make of	by the Washington Steen Andrews Bacorder's	7864 (SCVF 28.16 and SCW 66 Say 1/87-	(plance print lum neme frui)
	10: YOL 2.35 PG. 9A4 A		3
Addit on page	SINER 8 6-4 COA	WAR DE IN OF YER	Addi'. on ps
Addi', lessi is on nece	Assessor's Property Tax Pare	14 OF 2E 14 0 18 18CE	19, TEN, RGE
	Assessor & Property Tax Par	cel /Account #	
		SIAM OF WASHINETON	
		County of RAM	MIA (
(the amoral of the next	7
This district employs make at	***	Mining District	23.700
damp byttom of clother.	7		- 1
		h	
NOTICE IS LIGHT		Th	VENA
NOTICE IS HERE	BY GIVEN That the undersigne	d who been the declared	intention to become)
	linear feet in length and	d who ware (he_declared_ nd he_located and claimed.	intention to become) and do hereby locate
	linear feet in length, and	1320 feet in wid	then the
ledge or deposit for plan	CPAT MT #002	/320 feet in wid	th on the
ledge or deposit (or place and further described a thence 1220	linear feet in length, and CPAT MT POR 2 Cet ground), situated in the above to follower Commencing at a pos	1320 feet in wide State, County for Recording Prest marked No 1 at the Discovery	th on the Lode, win cinct) and Mining District, shaft (cut or tunnel), from
ledge or deposit (or pla and further described a thence 1220 thence 1720	linear feet in length, and CRAT AT FOO 2 Cet ground), situated in the above the follows: Commencing at a pos- feet in a WEST Feet in a WESTH	1320 feet in wide State, County (or Recording Prest marked No 1 at the Discovery direction to	th on the Lode, win cinct) and Mining District, shaft (cut or tunnel), from
ledge or deposit (or pla and further described a thence 1320 thence 1320	linear feet in length, and CRAT AT FOO 2 Cet ground), situated in the above the follows: Commencing at a pos feet in a WAST feet in a HORTH [eat in a HAST	J320 feet in wide State, County (or Recording Prett marked No 1 at the Discovery direction to a direction to a direction to a	the on the Lode, win cinct) and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 3, corner post marked No 4.
ledge or deposit (or placand further described at these 1320 thence 1320 thence 1320 thence 1320 thence thence 1320	linear feet in length, and CRAT AT FOO 2 Cet ground), situated in the above the follows: Commencing at a pos- feet in a WEST Feet in a WESTH	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to direction to direction to direction to a direction	the on the Lode, win cinct) and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 4, corner post marked No 8,
ledge or deposit (or platand further described attence 1320 thence 1320 thence 1320 thence thence thence thence thence thence	linear feet in length, and CPAT AT FOO2 Cor ground), situated in the above to follows: Commencing at a pos feet in a YEST feet in a EAST feet in a SOUTH feet in a feet in a	9 State, County (or Recording Prest marked No 1 at the Discovery direction to a d	th on the Lode, twin cinct) and Mining District, shaft (cut or tunnel), from an end post marked No 3, corner post marked No 4, corner post marked No 5, corner post marked
ledge or deposit for plat and further described a thence 1320 thence 1320 thence 1320 thence 1320 thence thence 1000 thence the decrease to the thence thence thence thence thence thence thence thence the the thence the thence the thence the thence the thence the thence	Linear feet in length, and CRAT AT FOOD CRE ground), situated in the above the follows: Commencing at a por feet in a WESTH feet in a MORTH feet in a SOUTH feet in a	State, County (or Recording Prest the Discovery direction to a dir	the on the Lode, win cinct) and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 4, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby
ledge or deposit (or platand further described a thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence the discovery to t	linear feet in length, and CRAT AT POD 2 Cet ground), altuated in the above is follows: Commencing at a pos feet in a NEXTH feet in a NEXTH feet in a SOUTH feet in a	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Pret is marked No 1 at the Discovery direction to direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit (or plat and further described a thence 1320 thence 1320 thence 1320 thence thence 1320 thence thence thence thence thence thence thence locating and intending to the discovery to the fideroction from discovery to the fiderocti	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Prest marked No 1 at the Discovery direction to a dir	the on the Lode, win cincil and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 3, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite 12 th The and claiming all surface i granted by existing laws
ledge or deposit for plan and further described a thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1520 thence 1520 thence 1520 thence 1520 thence 1520 the discovery to the 1520 the discovery to the 1520 the 1520 thence 1520 the	linear feet in length, and CRAT MT #02 cer ground), situated in the above is follows: Commencing at a pos feet in a MRTH feet in a MRTH feet in a SOUTH feet in a leet i	State, County (or Recording Prest marked No 1 at the Discovery direction to a dir	the on the Lode, vein cinct) and Mining District, sheft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 5, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite
ledge or deposit for plan and further described a thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1520 thence 1520 thence 1520 thence 1520 thence 1520 the discovery to the 1520 the discovery to the 1520 the 1520 thence 1520 the	linear feet in length, and CRAT MT #02 cer ground), situated in the above is follows: Commencing at a pos feet in a MRTH feet in a MRTH feet in a SOUTH feet in a leet i	State, County (or Recording Prest marked No 1 at the Discovery direction to a dir	the on the Lode, win cincil and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 3, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite 12 th The and claiming all surface i granted by existing laws
ledge or deposit for plan and further described a thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1320 thence 1520 thence 1520 thence 1520 thence 1520 thence 1520 the discovery to the 1520 the discovery to the 1520 the 1520 thence 1520 the	linear feet in length, and CAPAT AT PO2 cer ground), altuated in the above in follows: Commencing at a position of the feet in a NeXTH feet in a NeXTH feet in a SOUTH feet in a SOUTH feet in a leet in a le	State, County (or Recording Prest marked No 1 at the Discovery direction to a dir	the on the Lode, win cincil and Mining District, shaft (cut or tunnel), from an end post marked No 2, corner post marked No 3, corner post marked No 3, corner post marked No 6, aid end post no 2; hereby direction from feet in the opposite 12 th The and claiming all surface i granted by existing laws

BOOK 236 PAGE 731

Signature of Claima	ont Assu Hund	erson	date #.2-4-03
	MAP of Mini	na Claimisi	-
Township 8N		-	WANINGTO N
NW/NW	NE/NW	NW/NE	
	NE / NH	AW / NE	NE/NE
SW/HW	5E/NW ,	SW/NE	SE./NE
NW/SW	NE/SW	NW/SE	NE/SE
sw/sw	SE/SW	SW/SE	SE/SE

When drawing your claim(s) use an ordinary ruler. 1/8th of an inch would be 100 feet so a full size lode $(600^{\circ} \times 1500^{\circ})$ would be 3/4" by 1 7/8". A full size placer $(1320^{\circ} \times 660^{\circ})$ would be 1 5/8" by 13/16".

#002

BOOK 236 PEGE 732

This claim is further described by reference to natural objects or permanent monuments, se follows:

This notice is pieced at Discovery on poet No 1; posts are place at each corner, and the name of this lode, is date of location, are placed on all posts.

Located the H day of FEB.

COMPLY OF SKAMANIA

WITNESSES: STATE OF WASHINGTON (INDIVIDUAL ACKNOWLEDGEMENT)

do salemnly sweet that I am a citizen of the United States of America (or declared my intention to become such) and that I am acqueinted with the mining ground described in the notice of junction, on the called the Placer Mining Claim; that out and claim therein described, or any part thereof, has not, to the best of my knowledge and helici, been incomed eccording laws of the United States and this State, or if so located, that the same has been abandoned or forfoliad by reason of failure in furning locates to comply in respect theore with the requirements of sold laws; and that I have performed one equivalent costs of the United States and claim.

Tim Handerun 446 us to perplay the ou sy and swarn to before me on the