AFN #2012180569 Recorded 05/01/2012 at 01:39 PM DocType: MISC Filed by: SKAMANIA COUNTY PLANNING DEPT Page: 1 of 1 Auditor Timothy O. Todd Skamania County, WA

Grantor:

Skamania County Community Development Department PO Box 790 – 170 N.W. Vancouver Avenue Stevenson, WA 98648

## NOTICE TO TITLE FOR AN UNPERMITTED AND UNTESTED INDIVIDUAL WELL AND AN UNPERMITTED ON-SITE SEPTIC SYSTEM

The individual well on the property at the address 7672 Snag Mountain Road was constructed without Skamania County permits and has not been tested for water quality and quantity standards. The water source will need to come into full compliance or a new water source will be required if the existing home is modified or replaced, or if a new home is constructed or if the property divides.

In addition, the facility on the property at the address listed above is served by an On-Site Septic System not permitted by Skamania County and not meeting size standards in regard to primary and reserve drainfield areas, so the current OSS cannot be expanded. In the event of a failure, there is limited space for replacement or repair. A Table IX Repair may be performed, if approved by the Health Officer.

Grantee:

PROPERTY OWNER NAME: Philip and Pamela Long

ADDRESS: 7672 Snag Mountain Road

TAX PARCEL: 03-05-29-0-0-0111-00

SEC: 29 TWN: 3 RNG: 5

LEGAL DESCRIPTION CONTAINED IN AUDITOR'S DOCUMENT NUMBER: 2009172150 (Fill in the document number for the most recently recorded document containing a legal description.)