



When Recorded Return to:

Joshua Kill
Kristen Kill
2615 NE Stanton St.
Portland, OR 97212-3515

NOTICE OF CONTINUANCE
LAND CLASSIFIED AS CURRENT USE OR FOREST LAND
Chapter 84.34 and 84.33 Revised Code of Washington

Grantor(s) (Purchaser(s)) Joshua Kill and Kristen Kill, husband and wife

Grantee(s) SKAMANIA COUNTY

Legal Description: See attached Exhibit A

Assessor's Property Tax Parcel or Account Number 02052000080000 & 02052000080006,
02052000150000 & 02052000150006

Reference Number(s) of Documents Assigned or Released Book G / Page 765

Name of Owner(s) (at time of original lien) Gene A Bouma & Jerry L Rose

Recording Date of Original Lien 12/30/1982

If the new owner(s) of land that is classified under RCW 84.34 as Current Use Open Space, Farm and Agricultural, or Timber Land under 84.33 Designated Forest Land wish(es) to continue the Classification or Designation of this land all the New Owner(s) must sign page 2.

If the new owner(s) do(es) not desire to continue the classification or designation, all additional or compensating tax calculated pursuant to RCW 84.34.108 or RCW 84.33.120, 140 shall be due and payable by the seller or transferor at the time of sale. To determine if the land qualifies to continue classification or designation, the County Assessor should be consulted.

Interest in Property: ☒ Fee Owner ☐ Contract Purchaser ☐ Other

The property is currently classified under RCW 84.34 as:

☐ Open Space ☐ Farm & Agricultural ☐ Timber Land

Classified under RCW 84.33 ☒ Designated Forest Land.

I/We the purchaser(s) are aware of the definition of the deferred Tax Program this property is currently under as described in the *information on pages 3 through 5.*

NOTICE OF CONTINUANCE

Page 1 and 2 Must Be Recorded

Land Classified as Current Use or Forest Land

Page 2 of 5

I/We declare that I/we have read and under stand the definition of the Classification the property is under. I/We declare that I/We are aware of the liability of withdrawal or removal of this property form the classification or designation.

The agreement to tax according to use of the property is not a contract and can be annulled or canceled at any time by the Legislature (RCW 84.34.070).

<div style="border-bottom: 1px solid black; height: 40px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border-bottom: 1px solid black; padding-top: 5px;">Joshua Kill</div>	<div style="border-bottom: 1px solid black; height: 40px; display: flex; align-items: center; justify-content: center;"> 9-17-2021 </div> <div style="border-bottom: 1px solid black; padding-top: 5px; text-align: center;">Date</div>		
502 Linda Ln.	Washougal	WA	98761
Address	City	State	Zip Code
<div style="border-bottom: 1px solid black; height: 40px; display: flex; align-items: center; justify-content: center;"> </div> <div style="border-bottom: 1px solid black; padding-top: 5px;">Kristin Kill</div>	<div style="border-bottom: 1px solid black; height: 40px; display: flex; align-items: center; justify-content: center;"> 9/17/2021 </div> <div style="border-bottom: 1px solid black; padding-top: 5px; text-align: center;">Date</div>		
502 Linda Ln.	Washougal	WA	98761
Address	City	State	Zip Code
Property Owner Signature	Date		
Property Owner Print Your Name	Date		
Address	City	State	Zip Code
Property Owner Signature	Date		
Property Owner Print Your Name	Date		
Address	City	State	Zip Code

EXHIBIT "A"

PARCEL I

A PORTION OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 2 NORTH, RANGE 5 EAST OF THE WILLAMETTE MERIDIAN, IN THE COUNTY OF SKAMANIA, STATE OF WASHINGTON, DESCRIBED AS FOLLOWS:

BEGINNING AT A 5/8 INCH IRON ROD AT THE CENTER OF SECTION 20 AS ESTABLISHED IN VOLUME 1 OF SURVEYS, PAGE 159, SKAMANIA COUNTY AUDITOR'S RECORDS; THENCE SOUTH 88°34'25" EAST, ALONG THE NORTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, FOR A DISTANCE OF 350.00 FEET TO THE TRUE POINT OF BEGINNING.

THENCE SOUTH 01°25'35" WEST, AT RIGHT ANGLES TO SAID NORTH LINE, 75.00 FEET; THENCE SOUTH 88°34'25" EAST, 305.00 FEET; THENCE SOUTH 59°00'00" EAST, 253.27 FEET; THENCE SOUTH 88°34'25" EAST, 214.91 FEET;

THENCE SOUTH 03°00'00" EAST, PARALLEL WITH AND 100 FEET WESTERLY OF THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER, 45.88 FEET;

THENCE CONTINUING ALONG SAID PARALLEL LINE, SOUTH 13°00'00" EAST, 119.94 FEET;

THENCE SOUTH 61°15'00" EAST, LEAVING SAID PARALLEL LINE AND FOLLOWING A LINE THAT IS 30 FEET NORTHERLY OF AND PARALLEL WITH THE CENTERLINE OF AN EXISTING FOOT BRIDGE OVER THE WEST FORK OF THE WASHOUGAL RIVER, 134.04 FEET TO THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER;

THENCE NORTH 13°00'00" WEST, ALONG THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER 200.44 FEET;

THENCE NORTH 03°00'00" WEST, 229.99 FEET TO THE NORTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20;

THENCE NORTH 88°34'25" WEST, 825.00 FEET TO THE TRUE POINT OF BEGINNING.

PARCEL II

A PORTION OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 2 NORTH, RANGE 5 EAST OF THE WILLAMETTE MERIDIAN, IN THE COUNTY OF SKAMANIA, STATE OF WASHINGTON, DESCRIBED AS FOLLOW:

BEGINNING AT A 5/8 INCH IRON ROD AT THE CENTER OF SECTION 20, AS ESTABLISHED IN VOLUME 1 OF SURVEYS, PAGE 159, SKAMANIA COUNTY AUDITOR'S RECORDS; THENCE SOUTH 88°34'25" EAST, ALONG THE NORTH LINE OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF SECTION 20, FOR A DISTANCE OF 350.00 FEET; THENCE SOUTH 01°25'35" WEST, AT RIGHT ANGLES TO SAID NORTH LINE, 75.00 FEET; THENCE SOUTH 88°34'25" EAST, 305.00 FEET; THENCE SOUTH 59°00'00" EAST, 253.27 FEET; THENCE SOUTH 88°34'25" EAST, 214.91 FEET; THENCE SOUTH 03°00'00" EAST, PARALLEL

WITH AND 100 FEET WESTERLY OF THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER, 45.88 FEET; THENCE, CONTINUING ALONG SAID PARALLEL LINE, SOUTH 13°00'00" EAST, 119.94 FEET; THENCE SOUTH 61°15'00" EAST, LEAVING SAID PARALLEL LINE AND FOLLOWING A LINE THAT IS 30 FEET NORTHERLY OF AND PARALLEL WITH THE CENTERLINE OF AN EXISTING FOOT BRIDGE OVER THE WEST FORK OF THE WASHOUGAL RIVER, 134.04 FEET TO THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER; THENCE SOUTH 13°00'00" EAST, ALONG THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER, 39.56 FEET; THENCE SOUTH 19°00'00" WEST, 140.00 FEET; THENCE SOUTH 17°30'00" WEST, 140.00 FEET; THENCE SOUTH 27°30'00" WEST, 160.00 FEET; THENCE SOUTH 28°00'00" WEST, 160.00 FEET; THENCE SOUTH 15°00'00" WEST, 104.75 FEET, MORE OR LESS, TO THE NORTHWEST CORNER OF THE "HARTELOO TRACT", AS DESCRIBED IN SKAMANIA COUNTY AUDITOR'S FILE NO. 2009173225; THENCE SOUTH 89°50' EAST, 350 FEET, MORE OR LESS, TO THE NORTHEAST CORNER OF THE "HARTELOO TRACT" AS A POINT ON THE CENTER OF THE NORTH FORK COUNTY ROAD; THENCE SOUTHERLY ALONG THE CENTER OF THE NORTH FORK COUNTY ROAD, 200 FEET, MORE OR LESS, TO THE SOUTH LINE OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF SECTION 20 AND THE SOUTHEAST CORNER OF THE "HARTELOO TRACT"; THENCE NORTH 88°39'04" WEST, 1340 FEET, MORE OR LESS, TO A 5/8 INCH IRON ROD (SURVEY 1-159) AT THE SOUTHWEST CORNER OF THE NORTH HALF OF THE SOUTHEAST QUARTER; THENCE NORTH 01°25'57" EAST, 1319.02 FEET TO THE TRUE POINT OF BEGINNING.

TOGETHER WITH THE FOLLOWING DESCRIBED PROPERTY:

BEING A PORTION OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 2 NORTH, RANGE 5 EAST OF THE WILLAMETTE MERIDIAN, ALSO BEING A PORTION OF LOT 2 OF SHORT PLAT RECORDED IN BOOK 3, PAGE 346, SKAMANIA COUNTY RECORDS:

BEGINNING AT A DNR CONCRETE MONUMENT AT THE EAST QUARTER CORNER OF SECTION 20, AS SHOWN IN BOOK 3 OF SHORT PLATS, PAGE 346, SKAMANIA COUNTY AUDITOR'S RECORDS; THENCE NORTH 88°35'38" WEST, ALONG THE NORTH LINE OF THE SOUTHEAST QUARTER OF SECTION 20, AS SHOWN IN SHORT PLAT 3-346, FOR A DISTANCE OF 858.21 FEET TO A 5/8 INCH IRON ROD BEING ON THE EAST LINE OF LOT 2 OF SAID SHORT PLAT; THENCE ALONG THE EAST LINE OF LOT 2, SOUTH 06°29'02" WEST, FOR A DISTANCE OF 67.26 FEET TO A 5/8 INCH IRON ROD; THENCE SOUTH 37°11'29" EAST, ALONG THE EASTERLY LINE OF LOT 2, FOR A DISTANCE OF 128.94 FEET; THENCE SOUTH 46°04'47" WEST, ALONG SAID EASTERLY LINE OF LOT 2, FOR A DISTANCE OF 447.28 FEET AND THE TRUE POINT OF BEGINNING; THENCE NORTH 75°50'51" WEST, FOR A DISTANCE OF 283.02 FEET TO THE CENTER OF THE WEST FORK OF THE WASHOUGAL RIVER, BEING AT A POINT 30 FEET NORTHERLY OF AND PARALLEL WITH THE CENTERLINE OF AN EXISTING FOOT BRIDGE OVER THE WEST FORK OF THE WASHOUGAL RIVER; THENCE FOLLOWING THE CENTER OF SAID RIVER, AS SHOWN IN SHORT PLAT 3-346 THE FOLLOWING DESCRIBED COURSES; THENCE SOUTH 13°00'00" EAST, 39.56 FEET; THENCE SOUTH 19°00'00" WEST, 140.00 FEET; THENCE SOUTH 17°00'00" WEST, FOR A DISTANCE OF 140.00 FEET TO A POINT THAT BEARS NORTH 88°47'17" WEST, FROM A 5/8 INCH IRON ROD MARKING THE SOUTHEAST CORNER OF LOT 2 (SHORT PLAT 3-346); THENCE SOUTH 88°47'17" EAST, FOR A DISTANCE OF 211.00 FEET TO A 5/8 INCH IRON ROD MARKING THE SOUTHEAST CORNER OF LOT 2; THENCE NORTH 40°28'13" EAST, ALONG THE EASTERLY LINE OF LOT 2, FOR A DISTANCE OF 206.05 FEET TO A 5/8 INCH IRON ROD; THENCE NORTH 22°00'12" EAST, ALONG SAID EASTERLY LINE FOR A DISTANCE OF 80.00 FEET TO THE TRUE POINT OF BEGINNING.

ALSO EXCEPT THE FOLLOWING DESCRIBED PROPERTY.

A PORTION OF THE SOUTHWEST QUARTER AND THE NORTHWEST QUARTER OF SECTION 20, TOWNSHIP 2 NORTH, RANGE 5 EAST OF THE WILLAMETTE MERIDIAN, IN THE COUNTY OF SKAMANIA, STATE OF WASHINGTON, DESCRIBED AS FOLLOWS:

BEGINNING AT A 5/8 INCH IRON ROD MARKING THE SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20, AS SHOWN IN BOOK 3 OF SURVEYS, PAGE 445, SKAMANIA COUNTY AUDITOR'S RECORDS; THENCE NORTH 01°25'57" EAST, ALONG THE WEST LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20 (SURVEY 3-445), FOR A DISTANCE OF 980.02 FEET TO THE APPROXIMATE CENTERLINE OF AN EXISTING GRAVEL ROAD, AS SHOWN IN SAID SURVEY; THENCE FOLLOWING SAID CENTERLINE, AS SHOWN IN SAID SURVEY, THE FOLLOWING DESCRIBED COURSES; THENCE ALONG THE ARC OF A 260.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 41°38'59", FOR AN ARC DISTANCE OF 189.00 FEET, THE CHORD OF WHICH BEARS SOUTH 84°49'30" EAST, 184.87 FEET; THENCE SOUTH 64°00'00" EAST, FOR A DISTANCE OF 54.00 FEET; THENCE ALONG THE ARC OF A 600.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 34°00'00", FOR AN ARC DISTANCE OF 356.05 FEET, THE CHORD OF WHICH BEARS SOUTH 47°00'00" EAST, 350.85 FEET; THENCE SOUTH 30°00'00" EAST, FOR A DISTANCE OF 121.00 FEET; THENCE ALONG THE ARC OF A 250.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 25°00'00", FOR AN ARC DISTANCE OF 109.08 FEET, THE CHORD OF WHICH BEARS SOUTH 17°30'00" EAST 108.22 FEET; THENCE ALONG THE ARC OF A 40.00 FOOT RADIUS CURVE TO THE LEFT, THROUGH A CENTRAL ANGLE OF 109°00'47", FOR AN ARC DISTANCE OF 76.11 FEET, THE CHORD OF WHICH BEARS SOUTH 59°29'51" EAST, 65.13 FEET; THENCE LEAVING SAID CENTERLINE SOUTH 24°00'14" EAST, FOR A DISTANCE OF 525.45 FEET TO A 5/8 INCH IRON ROD, AS SHOWN IN BOOK 1 OF SURVEYS, PAGE 157, SKAMANIA COUNTY AUDITOR'S RECORDS ON THE SOUTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 20; THENCE NORTH 88°37'46" WEST, FOR A DISTANCE OF 876.91 FEET TO THE POINT OF BEGINNING.