



Return Address: Shannon and Ray Briones
31 Sutherland Road
Underwood, WA
98651

Skamania County
Community Development Department

Building/Fire Marshal • Environmental Health • Planning

Skamania County Courthouse Annex

Post Office Box 1009

Stevenson, Washington 98648

Phone: 509-427-3900 Inspection Line: 509-427-3922

ADMINISTRATIVE DECISION

APPLICANT: Shannon and Ray Briones

FILE NO.: NSA-20-33

DESCRIPTION: Construct single-single family residence with carport and breezeway connection to existing garage. Decommission residence above existing garage and convert to guest quarters.

LOCATION: 31 Sutherland Road, Underwood, and identified as Skamania County parcel no. #03-10-22-0-0-1100-00

LEGAL: See attached page 7.

ZONING: GMA – Small Woodland (F-3) 20

DECISION: Based upon the record and the Staff Report, the applicant's proposal, described above, is found to be consistent with SCC Title 22 and is hereby **APPROVED** subject to the conditions set forth below.

Although the proposed development is approved, it may not be buildable due to inadequate soils for septic and/or lack of potable water. These issues are under the jurisdiction of Skamania County's Building Division and the Skamania County Environmental Health Division. Approval of this request does not exempt the applicant or successors in interest from compliance with all other applicable local, state, and federal laws.

CONDITIONS OF APPROVAL:

The following conditions are required to ensure that the subject request is consistent with Skamania County Code Title 22. **THIS DOCUMENT, OUTLINING THE CONDITIONS OF APPROVAL, MUST BE RECORDED BY THE APPLICANT IN THE DEED RECORDS OF THE SKAMANIA COUNTY AUDITOR** in order to ensure notice of the conditions of approval to successors in interest. SCC §22.06.120(C)(2).

1. As per SCC §22.06.120(C)(2), this Administrative Decision **SHALL BE RECORDED** by the applicant in the County deed records prior to commencement of the approved project.
2. All development shall be consistent with the approved site plan on file with Skamania County Community Development, unless modified by the following conditions of approval. If modified, the site plan shall be consistent with the conditions of approval.
3. The development shall comply with the fire safety provisions for the Small Woodland (F-3) Zone listed in Skamania County Code Section 22.14.050(A).
4. All buildings shall be surrounded by a maintained fuel break of fifty feet. Irrigated or fire-resistant vegetation may be planted within the fuel break, including green lawns and low shrubs (less than twenty-four inches in height). Trees should be placed greater than fifteen feet between the crowns and pruned to remove dead and low (less than eight feet) branches. Accumulated leaves, needles and other dead vegetation shall be removed from beneath trees. Hazardous fuels shall be removed within the fuel break area.
5. At least one standpipe shall be installed at a minimum of fifty feet from the structure(s).
6. A pond, stream, tank or sump with storage of not less than one thousand gallons, or a well or water system capable of delivering twenty gallons per minute shall be provided. If a well pump is located on-site, the electrical service shall be separate from the dwelling.
7. Access drives shall be constructed to a minimum of twelve feet in width and not exceed a grade of twelve percent. Turnouts shall be provided at a minimum of every five hundred feet. Access drives shall be maintained to a level that is passable to fire equipment.
8. Telephone and power supply shall be underground if possible.
9. Roofs of structures shall be made of fire-resistant materials, such as fiberglass shingle or tile.
10. Any chimney or stovepipe on any structure for use with a wood stove or fireplace should be screened with no coarser than one-fourth inch mesh metal screen that is noncombustible and corrosion resistant and should be equipped with a spark arrestor.
11. All structural projections such as balconies, decks and roof gables should be built with fire resistant materials equivalent to that specified in the Uniform Building Code.

12. Attic openings, soffit vents, foundation louvers or other ventilation openings on dwellings and accessory structures shall be screened with no coarser than one-fourth inch mesh metal screen that is noncombustible and corrosion resistant.
13. The administrator shall conduct a review of the development within one year to assure compliance with the fire safety provisions embodied in SCC 22.14.050(A).
14. A 22-foot variance to the 200-ft. setback for dwellings required by 22.14.050(B)(1) is granted to allow the dwelling to be built 178 feet from the west property line as indicated on the approved site plan.
15. The following are the minimum required setbacks for all structures except fences: FRONT YARD: fifty (50) feet from the centerline of the street or road or twenty (20) feet from the front property line, whichever is greater; SIDE YARD: twenty (20) feet, and REAR YARD: twenty (20) feet.
16. Only that grading which is necessary for site development (building pads, utilities, etc.) is permitted. All graded areas left bare shall be re-seeded with native vegetation promptly and prior to final inspection by the Community Development Department. Project applicants shall be responsible for the proper maintenance and survival of all newly planted vegetation.
17. The following are the minimum required setbacks for all structures except fences: FRONT YARD: fifty (50) feet from the centerline of the street or road or twenty (20) feet from the front property line, whichever is greater; SIDE YARD: twenty (20) feet, and REAR YARD: twenty (20) feet.
18. The detached garage cannot contain a cooking area or kitchen and cannot be used to establish a second dwelling. The existing dwelling above the garage shall be decommissioned within 30 days of issuing final approval on the new single-family residence. Community Development staff shall inspect the habitable space above the garage and confirm it does not contain a cooking area or kitchen within 30 days of issuing final approval on the single-family residence.
19. Only that grading which is necessary for site development (building pads, utilities, etc.) is permitted. All graded areas left bare shall be re-seeded with native vegetation promptly and prior to final inspection by the Community Development Department.
20. The applicant shall meet all conditions of approval enacted to achieve visual subordination prior to final inspection by the Community Development Department. The applicant is to coordinate all inspections with the Building Division. A final inspection approval will not be issued until compliance with all conditions of approval; including visual subordination criteria have been verified.
21. The Community Development Department will conduct at least two site visits during construction, one siting inspection to verify the staked location of the structures prior to any ground disturbance taking place; and a second to be conducted after all foundation excavation has been completed including framing footers, but prior to pouring the foundation.

A site visit for Final Inspection shall also be conducted. Each inspection may take up to four business days from the time of calling for the inspection. Inspections should be arranged by calling the Community Development inspection line at 509-427-3922 or by emailing permitcenter@co.skamania.wa.us.

22. Except as necessary for site development or safety purposes, all existing tree cover shall be retained that screen the home and garage from key viewing areas. Areas of trees providing screening are indicated on the approved site plan. Dead and dying trees shall be replaced in kind.
23. The exterior of the proposed structures shall be dark earth-tones in color. The exterior includes, but is not limited to, sides, doors, porches, decks, gutters, roofs and trim. The following colors are consistent with this condition and are hereby approved. the exterior walls and trim - Benjamin Moore: Clinton brown HC-67 (appears dark brown); Benjamin Moore: Whiteall brown HC-69 (appears dark brown). Windows - Milgard: Bark (appears dark brown). Garage Doors - Overhead Door Co: Walnut (appears dark brown). Entry/Patio Doors - ThermaTru: Walnut with bronze hardware (appears dark brown). Decking - Azek PVC: Acacia (appears dark brown). Stonework - Mutual Materials: Bucks Country (appears dark grey). Flashing - unspecified: Bronze (appears dark brown). Gutters - C&M Gutter: Bronze (appears dark brown). Roof -Certainteed: Black Walnut (appears black). Any proposed changes to the approved colors shall be submitted to the Community Development department for review and approval prior to their use.
24. All vertical concrete left exposed shall be finished in a dark earth tone color consistent with these approved colors. Any proposed changes to these colors shall be submitted for review by the Community Development Department for acceptably dark earth-tones prior to their application. Community development staff shall inspect the home for acceptably dark-earth colors before issuing final approval for this project.
25. The exterior of buildings on lands seen from key viewing areas shall be composed of nonreflective materials or materials with low reflectivity. The proposed list of fiber cement horizontal and vertical lap siding, architectural fiberglass shingles, manufactured stone veneer, natural wood or fiber cement accent siding and trim. Any proposed changes to the approved materials list shall be submitted to the Community Development department to review for consistency with the construction materials requirements prior to their use.
26. Windows shall be either grey or bronze over low-E glass with less than 15% exterior visible light reflectivity rating. The applicant shall submit a window manufacturer's specification sheet showing this detail for the windows to be installed prior to the release of the building permit.
27. All exterior lighting shall be hooded or shielded at a 90° angle. Hoods/shields should be made of a non-reflective, opaque material, which does not allow light to pass through.
28. Except as is necessary for construction of access roads, building pads, leach fields, etc., the existing tree cover screening the development from key viewing areas shall be retained. The

applicant and successors in interest shall retain all trees between 50-100 feet to the east and south of the home for screening purposes. All screening trees are required to be maintained. Dead and dying screening trees shall be replaced in kind. Limbing or topping screening trees is prohibited.

29. An Inadvertent Discovery Plan embodying the provisions of SCC 22.22.060 (Condition #30) and SCC 22.22.070 (Condition #31) shall be prepared and posted in a conspicuous place at the development site and shall remain posted until all project activities are concluded.
30. The following procedures shall be effected when cultural resources are discovered during construction activities:
 - a. Halt Construction. All construction activities within 100 feet of the discovered cultural resource shall cease. The cultural resources shall remain as found; further disturbance is prohibited.
 - b. Notification. The project applicant shall notify the Administrator and the Gorge Commission within twenty-four (24) hours of the discovery. If the cultural resources are prehistoric or otherwise associated with Native Americans, the project applicant shall also notify the Indian tribal governments within twenty-four (24) hours.
 - c. Survey and Evaluations. The Gorge Commission shall survey the cultural resources after obtaining written permission from the landowner and appropriate permits from the DAHP (See Revised Code of Washington 27.53). It shall gather enough information to evaluate the significance of the cultural resources. The survey and evaluation shall be documented in a report that generally follows the provisions in Section 22.22.030 of this Chapter. Based upon the survey and evaluation report and any written comments, the Administrator shall make a final decision on whether the resources are significant. Construction activities may recommence if the cultural resources are not significant.
 - d. Mitigation Plan. Mitigation plans shall be prepared according to the information, consultation and report provisions contained in Section 22.22.050 of this Chapter. Construction activities may recommence when conditions in the mitigation plan have been executed.
31. The following procedures shall be effected when human remains are discovered during a cultural resource survey or during construction. Human remains means articulated or disarticulated human skeletal remains, bones or teeth, with or without attendant burial artifacts.
 - a. Halt of Activities. All survey, excavation and construction activities shall cease.
 - b. Notification. Local law enforcement officials, the Administrator, the Gorge Commission, and the Indian tribal governments shall be contacted immediately.
 - c. Inspection. The county coroner, or appropriate official, shall inspect the remains at the project site and determine if they are prehistoric/ historic or modern. Representatives of the Indian tribal governments shall be contacted immediately and have an opportunity to monitor the inspection.
 - d. Jurisdiction. If the remains are modern, the appropriate law enforcement official shall assume jurisdiction and the cultural resource protection process may conclude.
 - e. Treatment. The procedures set out in RCW 27.44 and 68.05 shall generally be implemented if the remains are prehistoric/ historic. If human remains will be

reinterred or preserved in their original position, a mitigation plan shall be prepared in accordance with the consultation and report requirements set out in Section 22.22.050 of this Chapter. The mitigation plan shall accommodate the cultural and religious concerns of Native Americans. The cultural resource protection process may conclude when conditions set forth in Section 22.22.050(C) of this Chapter are met and the mitigation plan is executed.

Dated and signed this 16th day of February, 2021, at Stevenson, Washington.

Mike Beck

Mike Beck
Planner

NOTE:

Any new development not included in the approved site plan on file with the Skamania County Community Development department will require a new application and review.

EXPIRATION:

As per SCC §22.06.150(A), this Administrative Decision approving a proposed development action shall become void in two years if the development is not commenced within that period, or once development has commenced the development action is discontinued for any reason for one continuous year or more.

If the development does not include a structure the permit shall expire two years after the date the land use approval was granted unless the use or development was established according to all specifications and conditions of approval in the approval. For land divisions, "established" means the final deed or plat has been recorded with the county auditor.

If the development includes a **structure** the permit shall expire when construction has not commenced within two (2) years of the date the land use approval was granted; or once the structure has been started and if the structure has not been completed within two (2) years of the date of commencement of construction the permit shall expire. Completion of the structure for this purpose means the completion of the exterior surface(s) of the structure; and compliance with all conditions of approval in the land use approval, including, but not limited to, painting of the exterior of the structure.

APPEALS:

The Director reserves the right to provide additional comment and findings of fact regarding this decision, if appealed.

This Administrative Decision shall be final unless reversed or modified on appeal. A written Notice of Appeal form must be filed by an interested person within 20 days from the date hereof. Appeals are to be made to the Skamania County Hearing Examiner, P.O. Box 1009, Stevenson, WA 98648. Notice of Appeal forms and mailing lists are available at the Community Development Department and must be accompanied by a \$2,450.00 nonrefundable-filing fee and a Certificate of Mailing.

The final determination of the Environmental Threshold Determination related to this underlying government action can be appealed to a court of competent jurisdiction, along with the underlying

government action, only by the parties with standing to the Environmental Threshold Determination. If the underlying government action was exempt from SEPA review, this section does not apply.

A copy of this Decision, including the Staff Report, was sent to the following:

Persons submitting written comments in a timely manner
Yakama Indian Nation
Confederated Tribes of the Umatilla Indian Reservation
Confederated Tribes of the Warm Springs Reservation
Nez Perce Tribe
Cowlitz Tribe
Department of Archaeology and Historic Preservation
Columbia River Gorge Commission
U.S. Forest Service –NSA Office
Board of County Commissioners
State of Washington Department of Commerce – Paul Johnson
Department of Fish and Wildlife

Legal Description:

The East Half of the Southwest Quarter of the Northwest Quarter and the East Half of the West Half of the Southwest Quarter of the Northwest Quarter, all in Section 22, Township 3 North, Range 10 East of the Willamette Meridian, Skamania County, State of Washington

Excepting therefrom the following:

That portion conveyed to William L. Garrett, et ux, by instrument recorded September 3, 1970, in Book 62, Page 41, Auditor's File No. 72306, Skamania County, Washington;

That portion conveyed to Richard E. Lathrup by instrument recorded April 6, 1971, in Book 62, Page 758, Auditor's File No. 73305, Skamania County, Washington;

That portion conveyed to Larry Z. Marczynski, et ux, by instrument recorded February 28, 1972, in Book 63, Page 793, Auditor's File No. 74466, Skamania County, Washington;

That portion conveyed to John Lompa, et ux, by instrument recorded August 16, 1972, in Book 64, Page 336, Auditor's File No. 75085, Skamania County, Washington;

That portion conveyed to Joe Perry, et ux, by instrument recorded November 8, 1974, in Book 67, Page 851, Auditor's File No. 78429, Skamania County, Washington.